



Products Catalog

Quality Is All That Matters

SURETORQ[®]
SURETORQ[®]


Company History

SURETORQ Group, established in 1995, is a foreign-owned enterprise specializing in the research, development, and manufacturing of screwdriver bits, power tool accessories and hand tools, as well as tool accessory sets.

SURETORQ Group, headquartered in Hong Kong, has invested in establishing four factories in China mainland, which located in Tianjin, Hebei, and Liaoning province. Satellite offices, warehousing, and distribution facilities have also been established in Canada, United States, Russia, and the Netherlands, employing more than 1,000 people worldwide.

In expanding overseas, the group has formed a unified network of production, sales, and service to meet the needs of the world market. Over 90% of the products are exported to North and South America, Europe, Latin America, Asia Pacific and Australia.

Adhering to dynamic operation management, advanced production technology, and strict quality management, SURETORQ has gained efficient product design, high quality manufacturing, outstanding sales achievements, building reputable name in the hardware industry.



Licenses & Patents

In setting the bar high to ensure quality products, SURETORQ successfully obtained nine screwdriving system technology licenses from the Phillips Screw Company and Acument Intellectual Properties,LLC. With manufacturing facilities fully equipped with advanced imported and domestic automatic production and inspection equipment, SURETORQ adheres to the stringent requirements of internationally recognized standards organizations such as ANSI, DIN, and ISO.



SURETORQ, with its own research and development team, currently holds over one hundred design and utility patents with new applications being submitted each year. SURETORQ continuously strives to provide quality innovative products to meet and exceed clients' expectations.



ISO & BSCI

SURETORQ passed ISO 9001:2015 & Business Social Compliance Initiative Audit



Applications

SURETORQ produces quality impact performance tools, heavy duty working tools, hand tools, and power tool accessories for use in, and not limited to, equipment manufacturing/installation industry, energy industry, construction industry, aircraft industry, automotive industry, electronic (appliance) industry, home renovations, household projects, etc.



^ Building

v Aircraft Manufacturing



^ Machine Manufacturing



v Motor Maintenance



v Industrial Architecture

v Equipment Installation



^ Energy

v Electron



v Home Decoration

v Daily Life



Manufacturing and Inspection Equipment

To guarantee the quality of the products, SURETORQ manages the production of its products from start to finish – product design, mold production, injection molding, machining, heat treatment, surface treatment, packaging, inspection, delivery. Every part of the process is completed in-house in SURETORQ's dedication to ensure client satisfaction.



^ Injection Molding Machine

v Laser Marking Machine



v Heat Treatment Line



v Machining

v Surface Treatment Line

v Packaging



v Metallurgy Analysis machine




v Hardness Testing Machine



v Computerized Torque & Lifetime Tester



Business Philosophy



Suretorq has inherited the strict attitude and the spirit of seeking excellence for product quality and technology. At the same time, Suretorq has won the extended trust from all the customers depending on the deeprooted quality concept, strict management system and expertise manufacturing technology.

As the business competition intensifying today, Suretorq still follow to the strategic principle of developing steadily, using carefully selected materials, and special methods improve the quality and to serve the market with high quality, professional and industrial product.

SURETORQ Tenet



QUALITY



EMPRESSEMENT



MANAGEMENT



SERVICE



CARE



INNOVATION

NOTE

A series of horizontal grey bars intended for handwritten notes.

TABLE OF CONTENTS

01 Premium+ Impact Performance Tools

Impact Screwdriver Bits	2-7
Impact Magnetic Nutsetters	8
Impact Magnetic Bit Holders	8
Impact Socket Adapters	8
Impact Quick Change Bit Holders	9
Impact Driver Accessories (Retail Package)	10-17
Impact Driver Accessory Sets	18-21
Impact Extractors	22-23
Impact Sockets	24

02 Premium Corrosion Resistant Tools

Stainless Steel Bits	26-28
Stainless Steel Nutsetters	28
Stainless Steel Driving Accessories (Retail Package)	28-31

03 Professional Heavy-duty Working Tools

Driving Accessories

Screwdriver Bits	33-61
Nutsetters	61-62
Socket Adapters	62-63
Bit Holders	63-64
Quick Change Bit Holders	64-65
Square Drive Bit Holders	65
Driving Accessories (Retail Package)	66-79
Driver Accessory Sets	80-85
Electronic Driver Bits	86-90

Hand Tools

Tap Socket & Wrenches	92
Screwdriver & Bit Sets	93
Screwdrivers	94-97
Hammers	98-99
L-Keys	100-102
Counter Top Display	103



Premium +



Impact Performance Tools





IMPACT Driver Accessories

Quality Is All That Matters



Phillips Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
0011-2501	PH 1	25	1"	25
0011-2502	PH 2	25	1"	25
0011-2503	PH 3	25	1"	25
0011-2504	PH 2 Drywall	25	1"	25

Phillips Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
0012-1001	PH 1	50	2"	10
0012-1002	PH 2	50	2"	10
0012-1003	PH 3	50	2"	10
0017-1001	PH 1	75	3"	10
0017-1002	PH 2	75	3"	10
0017-1003	PH 3	75	3"	10
0013-1001	PH 1	89	3-1/2"	10
0013-1002	PH 2	89	3-1/2"	10
0013-1003	PH 3	89	3-1/2"	10
0014-1001	PH 1	100	4"	10
0014-1002	PH 2	100	4"	10
0014-1003	PH 3	100	4"	10
0016-1001	PH 1	150	6"	10
0016-1002	PH 2	150	6"	10
0016-1003	PH 3	150	6"	10

Pozidriv® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
0021-2501	PZ 1	25	1"	25
0021-2502	PZ 2	25	1"	25
0021-2503	PZ 3	25	1"	25

Pozidriv® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
0022-1001	PZ 1	50	2"	10
0022-1002	PZ 2	50	2"	10
0022-1003	PZ 3	50	2"	10
0027-1001	PZ 1	75	3"	10
0027-1002	PZ 2	75	3"	10
0027-1003	PZ 3	75	3"	10
0023-1001	PZ 1	89	3-1/2"	10
0023-1002	PZ 2	89	3-1/2"	10
0023-1003	PZ 3	89	3-1/2"	10
0024-1001	PZ 1	100	4"	10
0024-1002	PZ 2	100	4"	10
0024-1003	PZ 3	100	4"	10
0026-1001	PZ 1	150	6"	10
0026-1002	PZ 2	150	6"	10
0026-1003	PZ 3	150	6"	10

Impact Driver Bit

- High-grade S2 steel.
- Precision tip for better filament which reduces stripping and increase durability
- Torsion zone absorbs impact force and high torque output.
- Laser marking for easy identification of bit size.
- Black phosphate coating resists corrosion.
- Built for maximum performance and durability with impact drivers.

Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
0031-2501	SQ 1	25	1"	25
0031-2502	SQ 2	25	1"	25
0031-2503	SQ 3	25	1"	25

Square Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
0032-1001	SQ 1	50	2"	10
0032-1002	SQ 2	50	2"	10
0032-1003	SQ 3	50	2"	10
0037-1001	SQ 1	75	3"	10
0037-1002	SQ 2	75	3"	10
0037-1003	SQ 3	75	3"	10
0033-1001	SQ 1	89	3-1/2"	10
0033-1002	SQ 2	89	3-1/2"	10
0033-1003	SQ 3	89	3-1/2"	10
0034-1001	SQ 1	100	4"	10
0034-1002	SQ 2	100	4"	10
0034-1003	SQ 3	100	4"	10
0036-1001	SQ 1	150	6"	10
0036-1002	SQ 2	150	6"	10
0036-1003	SQ 3	150	6"	10

TORX® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
0041-2510	Torx T10	25	1"	25
0041-2515	Torx T15	25	1"	25
0041-2520	Torx T20	25	1"	25
0041-2525	Torx T25	25	1"	25
0041-2527	Torx T27	25	1"	25
0041-2530	Torx T30	25	1"	25
0041-2540	Torx T40	25	1"	25

TORX® Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
0041-1045	Torx T45	32	1-1/4"	10
0041-1050	Torx T50	32	1-1/4"	10
0041-1055	Torx T55	32	1-1/4"	10
0041-1060	Torx T60	32	1-1/4"	10

TORX® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
0042-1010	Torx T10	50	2"	10
0042-1015	Torx T15	50	2"	10
0042-1020	Torx T20	50	2"	10
0042-1025	Torx T25	50	2"	10
0042-1027	Torx T27	50	2"	10
0042-1030	Torx T30	50	2"	10
0042-1040	Torx T40	50	2"	10
0047-1010	Torx T10	75	3"	10
0047-1015	Torx T15	75	3"	10
0047-1020	Torx T20	75	3"	10
0047-1025	Torx T25	75	3"	10
0047-1027	Torx T27	75	3"	10
0047-1030	Torx T30	75	3"	10
0047-1040	Torx T40	75	3"	10
0043-1010	Torx T10	89	3-1/2"	10
0043-1015	Torx T15	89	3-1/2"	10
0043-1020	Torx T20	89	3-1/2"	10
0043-1025	Torx T25	89	3-1/2"	10
0043-1027	Torx T27	89	3-1/2"	10
0043-1030	Torx T30	89	3-1/2"	10
0043-1040	Torx T40	89	3-1/2"	10
0044-1010	Torx T10	100	4"	10
0044-1015	Torx T15	100	4"	10
0044-1020	Torx T20	100	4"	10
0044-1025	Torx T25	100	4"	10
0044-1030	Torx T30	100	4"	10
0044-1040	Torx T40	100	4"	10
0046-1010	Torx T10	150	6"	10
0046-1015	Torx T15	150	6"	10
0046-1020	Torx T20	150	6"	10
0046-1025	Torx T25	150	6"	10
0046-1027	Torx T27	150	6"	10
0046-1030	Torx T30	150	6"	10
0046-1040	Torx T40	150	6"	10

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters

SURETORQ®

TORX® Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
0051-2510	Torx T10	25	1"	25
0051-2515	Torx T15	25	1"	25
0051-2520	Torx T20	25	1"	25
0051-2525	Torx T25	25	1"	25
0051-2527	Torx T27	25	1"	25
0051-2530	Torx T30	25	1"	25
0051-2540	Torx T40	25	1"	25

TORX® Tamper Resistant Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
0051-1045	Torx T45	32	1-1/4"	10
0051-1050	Torx T50	32	1-1/4"	10
0051-1055	Torx T55	32	1-1/4"	10
0051-1060	Torx T60	32	1-1/4"	10

Hex Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0091-2505	1/8"		25	1"	25
0091-2506	9/64"		25	1"	25
0091-2507	5/32"		25	1"	25
0091-2508	3/16"		25	1"	25
0091-2509	7/32"		25	1"	25
0091-2510	1/4"		25	1"	25
0091-2533		3.0	25	1"	25
0091-2534		4.0	25	1"	25
0091-2535		5.0	25	1"	25
0091-2536		6.0	25	1"	25

Hex Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0091-1011	5/16"		32	1-1/4"	10
0091-1012	3/8"		32	1-1/4"	10
0091-1037		7.0	32	1-1/4"	10
0091-1038		8.0	32	1-1/4"	10
0091-1030		10.0	32	1-1/4"	10

Hex Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0092-1005	1/8"		50	2"	10
0092-1006	9/64"		50	2"	10
0092-1007	5/32"		50	2"	10
0092-1008	3/16"		50	2"	10
0092-1009	7/32"		50	2"	10
0092-1010	1/4"		50	2"	10
0092-1033		3.0	50	2"	10
0092-1034		4.0	50	2"	10
0092-1035		5.0	50	2"	10
0092-1036		6.0	50	2"	10

Slotted Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0101-2505	5-6		25	1"	25
0101-2506	6-8		25	1"	25
0101-2507	8-10		25	1"	25
0101-2508	10-12		25	1"	25
0101-2536		0.6x4.5	25	1"	25
0101-2539		0.8x5.5	25	1"	25
0101-2541		1.0x6.0	25	1"	25
0101-2542		1.2x6.5	25	1"	25

Slotted Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0102-1005	5-6		50	2"	10
0102-1006	6-8		50	2"	10
0102-1007	8-10		50	2"	10
0102-1008	10-12		50	2"	10
0102-1036		0.6x4.5	50	2"	10
0102-1039		0.8x5.5	50	2"	10
0102-1041		1.0x6.0	50	2"	10
0102-1042		1.2x6.5	50	2"	10

Phillips Double-Ended Bits



10.5mm

• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1001	PH 1	65	2-9/16"	10
0512-1002	PH 2	65	2-9/16"	10
0512-1003	PH 3	65	2-9/16"	10
0514-1002	PH 2	100	4"	10
0516-1002	PH 2	150	6"	10

Pozidriv® Double-Ended Bits



10.5mm

• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1021	PZ 1	65	2-9/16"	10
0512-1022	PZ 2	65	2-9/16"	10
0512-1023	PZ 3	65	2-9/16"	10
0514-1022	PZ 2	100	4"	10
0516-1022	PZ 2	150	6"	10

Square Double-Ended Bits



10.5mm

• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1031	SQ 1	65	2-9/16"	10
0512-1032	SQ 2	65	2-9/16"	10
0512-1033	SQ 3	65	2-9/16"	10
0514-1032	SQ 2	100	4"	10
0516-1032	SQ 2	150	6"	10

TORX® Double-Ended Bits




10.5mm

• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0522-1010	Torx T10	65	2-9/16"	10
0522-1015	Torx T15	65	2-9/16"	10
0522-1020	Torx T20	65	2-9/16"	10
0522-1025	Torx T25	65	2-9/16"	10
0522-1027	Torx T27	65	2-9/16"	10
0522-1030	Torx T30	65	2-9/16"	10
0522-1040	Torx T40	65	2-9/16"	10
0522-1071	Torx T10/T15	65	2-9/16"	10
0522-1072	Torx T15/T20	65	2-9/16"	10
0522-1073	Torx T20/T25	65	2-9/16"	10
0522-1074	Torx T25/T30	65	2-9/16"	10
0524-1025	Torx T25	100	4"	10
0526-1025	Torx T25	150	6"	10

Slotted Double-Ended Bits



10.5mm

• 10.5mm Power Groove

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0532-1007	8-10		65	2-9/16"	10
0532-1041		1.0x6.0	66	2-9/16"	10

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters

SURETORQ®

Phillips Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1001TS	PH 1	65	2-9/16"	10
0512-1002TS	PH 2	65	2-9/16"	10
0512-1003TS	PH 3	65	2-9/16"	10
0512-1009TS	PH 1/PH 2	65	2-9/16"	10
0512-1012TS	PH 2/PH 3	65	2-9/16"	10
0514-1001TS	PH 1	100	4"	10
0514-1002TS	PH 2	100	4"	10
0514-1003TS	PH 3	100	4"	10
0514-1009TS	PH 1/PH 2	100	4"	10
0514-1012TS	PH 2/PH 3	100	4"	10
0516-1001TS	PH 1	150	6"	10
0516-1002TS	PH 2	150	6"	10
0516-1003TS	PH 3	150	6"	10
0516-1009TS	PH 1/PH 2	150	6"	10
0516-1012TS	PH 2/PH 3	150	6"	10

Pozidriv® Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1021TS	PZ 1	65	2-9/16"	10
0512-1022TS	PZ 2	65	2-9/16"	10
0512-1023TS	PZ 3	65	2-9/16"	10
0512-1027TS	PZ 1/PZ 2	65	2-9/16"	10
0512-1029TS	PZ 2/PZ 3	65	2-9/16"	10
0514-1021TS	PZ 1	100	4"	10
0514-1022TS	PZ 2	100	4"	10
0514-1023TS	PZ 3	100	4"	10
0514-1027TS	PZ 1/PZ 2	100	4"	10
0514-1029TS	PZ 2/PZ 3	100	4"	10
0516-1021TS	PZ 1	150	6"	10
0516-1022TS	PZ 2	150	6"	10
0516-1023TS	PZ 3	150	6"	10
0516-1027TS	PZ 1/PZ 2	150	6"	10
0516-1029TS	PZ 2/PZ 3	150	6"	10

Square Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0512-1031TS	SQ 1	65	2-9/16"	10
0512-1032TS	SQ 2	65	2-9/16"	10
0512-1033TS	SQ 3	65	2-9/16"	10
0512-1037TS	SQ 1/SQ 2	65	2-9/16"	10
0512-1039TS	SQ 2/SQ 3	65	2-9/16"	10
0514-1031TS	SQ 1	100	4"	10
0514-1032TS	SQ 2	100	4"	10
0514-1033TS	SQ 3	100	4"	10
0514-1037TS	SQ 1/SQ 2	100	4"	10
0514-1039TS	SQ 2/SQ 3	100	4"	10
0516-1031TS	SQ 1	150	6"	10
0516-1032TS	SQ 2	150	6"	10
0516-1033TS	SQ 3	150	6"	10
0516-1037TS	SQ 1/SQ 2	150	6"	10
0516-1039TS	SQ 2/SQ 3	150	6"	10

TORX® Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0522-1010TS	Torx T10	65	2-9/16"	10
0522-1015TS	Torx T15	65	2-9/16"	10
0522-1020TS	Torx T20	65	2-9/16"	10
0522-1025TS	Torx T25	65	2-9/16"	10
0522-1027TS	Torx T27	65	2-9/16"	10
0522-1030TS	Torx T30	65	2-9/16"	10
0522-1040TS	Torx T40	65	2-9/16"	10
0522-1071TS	Torx T10/T15	65	2-9/16"	10
0522-1072TS	Torx T15/T20	65	2-9/16"	10
0522-1073TS	Torx T20/T25	65	2-9/16"	10
0522-1074TS	Torx T25/T30	65	2-9/16"	10
0524-1010TS	Torx T10	100	4"	10
0524-1015TS	Torx T15	100	4"	10
0524-1020TS	Torx T20	100	4"	10
0524-1025TS	Torx T25	100	4"	10
0524-1027TS	Torx T27	100	4"	10
0524-1030TS	Torx T30	100	4"	10

Code	Size	L (mm)	L (inch)	Pack
0524-1040TS	Torx T40	100	4"	10
0524-1071TS	Torx T10/T15	100	4"	10
0524-1072TS	Torx T15/T20	100	4"	10
0524-1073TS	Torx T20/T25	100	4"	10
0524-1074TS	Torx T25/T30	100	4"	10
0526-1020TS	Torx T20	150	6"	10
0526-1025TS	Torx T25	150	6"	10
0526-1027TS	Torx T27	150	6"	10
0526-1030TS	Torx T30	150	6"	10
0526-1040TS	Torx T40	150	6"	10
0526-1073TS	Torx T20/T25	150	6"	10
0526-1074TS	Torx T25/T30	150	6"	10

Hex Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0542-1008TS	3/16"		65	2-9/16"	10
0542-1009TS	7/32"		65	2-9/16"	10
0542-1010TS	1/4"		65	2-9/16"	10
0542-1034TS		4.0	65	2-9/16"	10
0542-1035TS		5.0	65	2-9/16"	10
0542-1036TS		6.0	65	2-9/16"	10

Slotted Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0532-1006TS	6-8		65	2-9/16"	10
0532-1007TS	8-10		65	2-9/16"	10
0532-1008TS	10-12		65	2-9/16"	10
0532-1039TS		0.8x5.5	65	2-9/16"	10
0532-1041TS		1.0x6.0	65	2-9/16"	10
0532-1042TS		1.2x6.5	65	2-9/16"	10

Assorted Double-Ended Bits, Torsion



• 10.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
0502-1001TS	PH 2/PZ 2	65	2-9/16"	10
0502-1002TS	PH 2/SQ 2	65	2-9/16"	10
0502-1006TS	PH 2/SL1.0x6.0	65	2-9/16"	10
0502-1009TS	PH 2/SL8-10	65	2-9/16"	10
0502-1011TS	PH 2/Torx T25	65	2-9/16"	10
0502-1012TS	PZ 2/Torx T25	65	2-9/16"	10
0502-1013TS	SQ 2/Torx T25	65	2-9/16"	10
0504-1001TS	PH 2/PZ 2	100	4"	10
0504-1002TS	PH 2/SQ 2	100	4"	10
0504-1003TS	PH 2/Torx T25	100	4"	10
0504-1004TS	PZ 2/Torx T25	100	4"	10
0504-1005TS	SQ 2/Torx T25	100	4"	10



Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters

SURETORQ®

Magnetic Nutsetters



• Lobular design reduces stripping of the nut corners

• DIN 3126, ISO 1173, E 6.3

Code	Ø (mm)	L (mm)	L (inch)	Pack
0071-0514	1/4"	48	1-7/8"	5
0071-0556	5/16"	48	1-7/8"	5
0071-0538	3/8"	48	1-7/8"	5
0071-0576	7/16"	48	1-7/8"	5
0071-0512	1/2"	48	1-7/8"	5
0072-0514	1/4"	65	2-9/16"	5
0072-0556	5/16"	65	2-9/16"	5
0072-0538	3/8"	65	2-9/16"	5
0072-0576	7/16"	65	2-9/16"	5
0072-0512	1/2"	65	2-9/16"	5
0074-0514	1/4"	100	4"	5
0074-0556	5/16"	100	4"	5
0074-0538	3/8"	100	4"	5
0076-0514	1/4"	150	6"	5
0076-0556	5/16"	150	6"	5
0076-0538	3/8"	150	6"	5
0071-0506	6	48	1-7/8"	5
0071-0508	8	48	1-7/8"	5
0071-0510	10	48	1-7/8"	5
0071-0522	12	48	1-7/8"	5
0071-0513	13	48	1-7/8"	5
0072-0506	6	65	2-9/16"	5
0072-0508	8	65	2-9/16"	5
0072-0510	10	65	2-9/16"	5
0072-0522	12	65	2-9/16"	5
0072-0513	13	65	2-9/16"	5
0074-0506	6	100	4"	5
0074-0508	8	100	4"	5
0074-0510	10	100	4"	5
0076-0506	6	150	6"	5
0076-0508	8	150	6"	5
0076-0510	10	150	6"	5

Magnetic Bit Holders



• DIN 3126, ISO 1173, E 6.3
• For use with 1/4" hexagon impact insert bits (DIN 3126, ISO 1173, C 6.3)

Code	Ø	L (mm)	L (inch)	Pack
0062-0501	1/4"	54	2-1/8"	5
0062-0502	1/4" w/C-Rg	57	2-1/4"	5
0063-0501	1/4" w/C-Rg	76	3"	5

Socket Adapters



• DIN 3126, ISO 1173, E 6.3

Code	Ø	L (mm)	L (inch)	Pack
0082-0514	1/4"	50	2"	5
0082-0538	3/8"	50	2"	5
0082-0512	1/2"	50	2"	5
0083-0514	1/4"	75	3"	5
0083-0538	3/8"	75	3"	5
0083-0512	1/2"	75	3"	5
0086-0514	1/4"	150	6"	5
0086-0538	3/8"	150	6"	5
0086-0512	1/2"	150	6"	5

Square Drive Bit Holders



• DIN 3121
• For use with 1/4" or 5/16" hexagon impact insert bits (DIN 3126, ISO 1173, C 6.3, C 8)

Code	Ø	Ø	L (mm)	L (inch)	Pack
0401-0501	1/4"	1/4"	25	1"	5
0401-0502	3/8"	1/4"	31	1-1/4"	5
0401-0503	1/2"	1/4"	35	1-3/8"	5
0401-0504	3/8"	5/16"	31	1-1/4"	5
0401-0505	1/2"	5/16"	38	1-1/2"	5

Quick Change Bit Holders



• DIN 3126, ISO 1173, E 6.3
• For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)

Code	Ø	L (mm)	L (inch)	Pack
0612-0502	1/4"	65	2-9/16"	5
0616-0502	1/4"	150	6"	5

Quick Change One-piece Bit Holders



• DIN 3126, ISO 1173, E 6.3
• For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)

Code	Ø	L (mm)	L (inch)	Pack
0612-0503	1/4"	65	2-9/16"	5
0616-0503	1/4"	150	6"	5


Impact Wrench Adapters



• DIN 3121
• For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)

Code	Ø	Ø	L (mm)	L (inch)	Pack
0362-0501	1/4"	1/4"	57	2-1/4"	5
0362-0502	3/8"	1/4"	57	2-1/4"	5
0362-0503	1/2"	1/4"	62	2-7/16"	5

Magnetic Screw Holder



• Applicable to SURETORQ impact bits with strong magnet adsorption
• One hand fastening improves manual and automated operations

Code	Ø	L (mm)	L (inch)	Pack
0211-0502	1/4"	21	13/16"	5

Instruction

1. Slide magnetic collar onto bit



2. Push until collar clicks and locks into groove on bit



3. Bit is now magnetized and ready for use



4. Non-slip magnetic effect



Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters



Phillips Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
0111-0201	PH 1	25	1"	2
0111-0202	PH 2	25	1"	2
0111-0203	PH 3	25	1"	2
0111-0204	PH 2 Drywall	25	1"	2
0111-0502	PH 2	25	1"	5
0111-0504	PH 2 Drywall	25	1"	5

Phillips Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
0112-0201	PH 1	50	2"	2
0112-0202	PH 2	50	2"	2
0112-0203	PH 3	50	2"	2
0112-0502	PH 2	50	2"	5
0117-0101	PH 1	75	3"	1
0117-0102	PH 2	75	3"	1
0117-0103	PH 3	75	3"	1
0114-0101	PH 1	100	4"	1
0114-0102	PH 2	100	4"	1
0114-0103	PH 3	100	4"	1
0116-0101	PH 1	150	6"	1
0116-0102	PH 2	150	6"	1
0116-0103	PH 3	150	6"	1

Pozidriv® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
0121-0201	PZ 1	25	1"	2
0121-0202	PZ 2	25	1"	2
0121-0203	PZ 3	25	1"	2
0121-0502	PZ 2	25	1"	5

Pozidriv® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
0122-0201	PZ 1	50	2"	2
0122-0202	PZ 2	50	2"	2
0122-0203	PZ 3	50	2"	2
0122-0502	PZ 2	50	2"	5
0127-0101	PZ 1	75	3"	1
0127-0102	PZ 2	75	3"	1
0127-0103	PZ 3	75	3"	1
0124-0101	PZ 1	100	4"	1
0124-0102	PZ 2	100	4"	1
0124-0103	PZ 3	100	4"	1
0126-0101	PZ 1	150	6"	1
0126-0102	PZ 2	150	6"	1
0126-0103	PZ 3	150	6"	1

Square Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
0131-0201	SQ 1	25	1"	2
0131-0202	SQ 2	25	1"	2
0131-0203	SQ 3	25	1"	2
0131-0502	SQ 2	25	1"	5

Square Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
0132-0201	SQ 1	50	2"	2
0132-0202	SQ 2	50	2"	2
0132-0203	SQ 3	50	2"	2
0132-0502	SQ 2	50	2"	5
0137-0101	SQ 1	75	3"	1
0137-0102	SQ 2	75	3"	1
0137-0103	SQ 3	75	3"	1
0134-0101	SQ 1	100	4"	1
0134-0102	SQ 2	100	4"	1
0134-0103	SQ 3	100	4"	1
0136-0101	SQ 1	150	6"	1
0136-0102	SQ 2	150	6"	1
0136-0103	SQ 3	150	6"	1

TORX® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
0141-0210	Torx T10	25	1"	2
0141-0215	Torx T15	25	1"	2
0141-0220	Torx T20	25	1"	2
0141-0225	Torx T25	25	1"	2
0141-0227	Torx T27	25	1"	2
0141-0230	Torx T30	25	1"	2
0141-0240	Torx T40	25	1"	2
0141-0520	Torx T20	25	1"	5
0141-0525	Torx T25	25	1"	5
0141-0530	Torx T30	25	1"	5

TORX® Insert Bits, H5/16



- Retail Package
- DIN 3126, ISO 1173, C 8



Code	Size	L (mm)	L (inch)	Pack
0141-0145	Torx T45	32	1-1/4"	1
0141-0150	Torx T50	32	1-1/4"	1
0141-0155	Torx T55	32	1-1/4"	1
0141-0160	Torx T60	32	1-1/4"	1

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters



TORX® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
0142-0210	Torx T10	50	2"	2
0142-0215	Torx T15	50	2"	2
0142-0220	Torx T20	50	2"	2
0142-0225	Torx T25	50	2"	2
0142-0227	Torx T27	50	2"	2
0142-0230	Torx T30	50	2"	2
0142-0240	Torx T40	50	2"	2
0142-0525	Torx T25	50	2"	5
0147-0110	Torx T10	75	3"	1
0147-0115	Torx T15	75	3"	1
0147-0120	Torx T20	75	3"	1
0147-0125	Torx T25	75	3"	1
0147-0127	Torx T27	75	3"	1
0147-0130	Torx T30	75	3"	1
0147-0140	Torx T40	75	3"	1
0143-0110	Torx T10	89	3-1/2"	1
0143-0115	Torx T15	89	3-1/2"	1
0143-0120	Torx T20	89	3-1/2"	1
0143-0125	Torx T25	89	3-1/2"	1
0143-0127	Torx T27	89	3-1/2"	1
0143-0130	Torx T30	89	3-1/2"	1
0143-0140	Torx T40	89	3-1/2"	1
0144-0110	Torx T10	100	4"	1
0144-0115	Torx T15	100	4"	1
0144-0120	Torx T20	100	4"	1
0144-0125	Torx T25	100	4"	1
0144-0127	Torx T27	100	4"	1
0144-0130	Torx T30	100	4"	1
0144-0140	Torx T40	100	4"	1
0146-0110	Torx T10	150	6"	1
0146-0115	Torx T15	150	6"	1
0146-0120	Torx T20	150	6"	1
0146-0125	Torx T25	150	6"	1
0146-0127	Torx T27	150	6"	1
0146-0130	Torx T30	150	6"	1
0146-0140	Torx T40	150	6"	1

TORX® Tamper Resistant Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
0151-0210	Torx T10	25	1"	2
0151-0215	Torx T15	25	1"	2
0151-0220	Torx T20	25	1"	2
0151-0225	Torx T25	25	1"	2
0151-0227	Torx T27	25	1"	2
0151-0230	Torx T30	25	1"	2
0151-0240	Torx T40	25	1"	2
0151-0525	Torx T25	25	1"	5

TORX® Tamper Resistant Insert Bits, H5/16



- Retail Package
- DIN 3126, ISO 1173, C 8



Code	Size	L (mm)	L (inch)	Pack
0151-0145	Torx T45	32	1-1/4"	1
0151-0150	Torx T50	32	1-1/4"	1
0151-0155	Torx T55	32	1-1/4"	1
0151-0160	Torx T60	32	1-1/4"	1

Hex Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0271-0205	1/8"		25	1"	2
0271-0206	9/64"		25	1"	2
0271-0207	5/32"		25	1"	2
0271-0208	3/16"		25	1"	2
0271-0209	7/32"		25	1"	2
0271-0210	1/4"		25	1"	2
0271-0233		3.0	25	1"	2
0271-0234		4.0	25	1"	2
0271-0235		5.0	25	1"	2
0271-0236		6.0	25	1"	2

Hex Insert Bits, H5/16



- Retail Package
- DIN 3126, ISO 1173, C 8



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0271-0111	5/16"		32	1-1/4"	1
0271-0112	3/8"		32	1-1/4"	1
0271-0137		7.0	32	1-1/4"	1
0271-0138		8.0	32	1-1/4"	1
0271-0130		10.0	32	1-1/4"	1

Hex Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0272-0205	1/8"		50	2"	2
0272-0206	9/64"		50	2"	2
0272-0207	5/32"		50	2"	2
0272-0208	3/16"		50	2"	2
0272-0209	7/32"		50	2"	2
0272-0210	1/4"		50	2"	2
0272-0233		3.0	50	2"	2
0272-0234		4.0	50	2"	2
0272-0235		5.0	50	2"	2
0272-0236		6.0	50	2"	2

Slotted Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0261-0205	5-6		25	1"	2
0261-0206	6-8		25	1"	2
0261-0207	8-10		25	1"	2
0261-0208	10-12		25	1"	2
0261-0236		0.6x4.5	25	1"	2
0261-0239		0.8x5.5	25	1"	2
0261-0241		1.0x6.0	25	1"	2
0261-0242		1.2x6.5	25	1"	2

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters

SURETORQ®

Slotted Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0262-0205	5-6		50	2"	2
0262-0206	6-8		50	2"	2
0262-0207	8-10		50	2"	2
0262-0208	10-12		50	2"	2
0262-0236		0.6x4.5	50	2"	2
0262-0239		0.8x5.5	50	2"	2
0262-0241		1.0x6.0	50	2"	2
0262-0242		1.2x6.5	50	2"	2

Phillips Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
0562-0201TS	PH 1	65	2-9/16"	2
0562-0202TS	PH 2	65	2-9/16"	2
0562-0203TS	PH 3	65	2-9/16"	2
0562-0209TS	PH 1/PH 2	65	2-9/16"	2
0562-0212TS	PH 2/PH 3	65	2-9/16"	2
0562-0502TS	PH 2	65	2-9/16"	5
0564-0101TS	PH 1	100	4"	1
0564-0102TS	PH 2	100	4"	1
0564-0103TS	PH 3	100	4"	1
0564-0109TS	PH 1/PH 2	100	4"	1
0564-0112TS	PH 2/PH 3	100	4"	1
0566-0101TS	PH 1	150	6"	1
0566-0102TS	PH 2	150	6"	1
0566-0103TS	PH 3	150	6"	1
0566-0109TS	PH 1/PH 2	150	6"	1
0566-0112TS	PH 2/PH 3	150	6"	1

Pozidriv® Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
0562-0221TS	PZ 1	65	2-9/16"	2
0562-0222TS	PZ 2	65	2-9/16"	2
0562-0223TS	PZ 3	65	2-9/16"	2
0562-0227TS	PZ 1/PZ 2	65	2-9/16"	2
0562-0229TS	PZ 2/PZ 3	65	2-9/16"	2
0562-0522TS	PZ 2	65	2-9/16"	5
0564-0121TS	PZ 1	100	4"	1
0564-0122TS	PZ 2	100	4"	1
0564-0123TS	PZ 3	100	4"	1
0564-0127TS	PZ 1/PZ 2	100	4"	1
0564-0129TS	PZ 2/PZ 3	100	4"	1
0566-0121TS	PZ 1	150	6"	1
0566-0122TS	PZ 2	150	6"	1
0566-0123TS	PZ 3	150	6"	1
0566-0127TS	PZ 1/PZ 2	150	6"	1
0566-0129TS	PZ 2/PZ 3	150	6"	1

Square Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
0562-0231TS	SQ 1	65	2-9/16"	2
0562-0232TS	SQ 2	65	2-9/16"	2
0562-0233TS	SQ 3	65	2-9/16"	2
0562-0237TS	SQ 1/SQ 2	65	2-9/16"	2
0562-0239TS	SQ 2/SQ 3	65	2-9/16"	2
0562-0532TS	SQ 2	65	2-9/16"	5
0564-0131TS	SQ 1	100	4"	1
0564-0132TS	SQ 2	100	4"	1
0564-0133TS	SQ 3	100	4"	1

Code	Size	L (mm)	L (inch)	Pack
0564-0137TS	SQ 1/SQ 2	100	4"	1
0564-0139TS	SQ 2/SQ 3	100	4"	1
0566-0131TS	SQ 1	150	6"	1
0566-0132TS	SQ 2	150	6"	1
0566-0133TS	SQ 3	150	6"	1
0566-0137TS	SQ 1/SQ 2	150	6"	1
0566-0139TS	SQ 2/SQ 3	150	6"	1

TORX® Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
0572-0210TS	Torx T10	65	2-9/16"	2
0572-0215TS	Torx T15	65	2-9/16"	2
0572-0220TS	Torx T20	65	2-9/16"	2
0572-0225TS	Torx T25	65	2-9/16"	2
0572-0227TS	Torx T27	65	2-9/16"	2
0572-0230TS	Torx T30	65	2-9/16"	2
0572-0240TS	Torx T40	65	2-9/16"	2
0572-0271TS	Torx T10/T15	65	2-9/16"	2
0572-0272TS	Torx T15/T20	65	2-9/16"	2
0572-0273TS	Torx T20/T25	65	2-9/16"	2
0572-0274TS	Torx T25/T30	65	2-9/16"	2
0572-0520TS	Torx T20	65	2-9/16"	5
0572-0525TS	Torx T25	65	2-9/16"	5
0572-0573TS	Torx T20/T25	65	2-9/16"	5
0574-0110TS	Torx T10	100	4"	1
0574-0115TS	Torx T15	100	4"	1
0574-0120TS	Torx T20	100	4"	1
0574-0125TS	Torx T25	100	4"	1
0574-0127TS	Torx T27	100	4"	1
0574-0130TS	Torx T30	100	4"	1
0574-0140TS	Torx T40	100	4"	1
0574-0171TS	Torx T10/T15	100	4"	1
0574-0172TS	Torx T15/T20	100	4"	1
0574-0173TS	Torx T20/T25	100	4"	1
0574-0174TS	Torx T25/T30	100	4"	1
0576-0110TS	Torx T10	150	6"	1
0576-0115TS	Torx T15	150	6"	1
0576-0120TS	Torx T20	150	6"	1
0576-0125TS	Torx T25	150	6"	1
0576-0127TS	Torx T27	150	6"	1
0576-0130TS	Torx T30	150	6"	1
0576-0140TS	Torx T40	150	6"	1

Code	Size	L (mm)	L (inch)	Pack
0576-0171TS	Torx T10/T15	150	6"	1
0576-0172TS	Torx T15/T20	150	6"	1
0576-0173TS	Torx T20/T25	150	6"	1
0576-0174TS	Torx T25/T30	150	6"	1

Hex Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0592-0208TS	3/16"		65	2-9/16"	2
0592-0209TS	7/32"		65	2-9/16"	2
0592-0210TS	1/4"		65	2-9/16"	2
0592-0234TS		4.0	65	2-9/16"	2
0592-0235TS		5.0	65	2-9/16"	2
0592-0236TS		6.0	65	2-9/16"	2

Slotted Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
0582-0205TS	5-6		65	2-9/16"	2
0582-0206TS	6-8		65	2-9/16"	2
0582-0207TS	8-10		65	2-9/16"	2
0582-0208TS	10-12		65	2-9/16"	2
0582-0239TS		0.8x5.5	65	2-9/16"	2
0582-0241TS		1.0x6.0	65	2-9/16"	2
0582-0242TS		1.2x6.5	65	2-9/16"	2

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessories

Quality Is All That Matters



Assorted Double-Ended Bits, Torsion



- Retail Package
- 10.5mm Power Groove, Torsion Zone



Code	Size	L (mm)	L (inch)	Pack
0552-0201TS	PH 2/PZ 2	65	2-9/16"	2
0552-0202TS	PH 2/SQ 2	65	2-9/16"	2
0552-0206TS	PH 2/SL8-10	65	2-9/16"	2
0552-0209TS	PH 2/SL1.0x6.0	65	2-9/16"	2
0552-0211TS	PH 2/Torx T25	65	2-9/16"	2
0552-0212TS	PZ 2/Torx T25	65	2-9/16"	2
0552-0213TS	SQ 2/Torx T25	65	2-9/16"	2
0554-0101TS	PH 2/PZ 2	100	4"	1
0554-0102TS	PH 2/SQ 2	100	4"	1
0554-0103TS	PH 2/Torx T25	100	4"	1
0554-0104TS	PZ 2/Torx T25	100	4"	1
0554-0105TS	SQ 2/Torx T25	100	4"	1

Code	Size	L (mm)	L (inch)	Pack
0172-0114	1/4"	65	2-9/16"	1
0172-0156	5/16"	65	2-9/16"	1
0172-0138	3/8"	65	2-9/16"	1
0172-0176	7/16"	65	2-9/16"	1
0172-0112	1/2"	65	2-9/16"	1
0172-0302	1/4, 5/16, 3/8"	65	2-9/16"	3
0174-0114	1/4"	100	4"	1
0174-0156	5/16"	100	4"	1
0174-0138	3/8"	100	4"	1
0176-0114	1/4"	150	6"	1
0176-0156	5/16"	150	6"	1
0176-0138	3/8"	150	6"	1
0171-0106	6	48	1-7/8"	1
0171-0108	8	48	1-7/8"	1
0171-0110	10	48	1-7/8"	1
0171-0122	12	48	1-7/8"	1
0171-0301	6, 8, 10	48	1-7/8"	3
0172-0106	6	65	2-9/16"	1
0172-0108	8	65	2-9/16"	1
0172-0110	10	65	2-9/16"	1
0172-0122	12	65	2-9/16"	1
0172-0301	6, 8, 10	65	2-9/16"	3
0174-0106	6	100	4"	1
0174-0108	8	100	4"	1
0174-0110	10	100	4"	1
0176-0106	6	150	6"	1
0176-0108	8	150	6"	1
0176-0110	10	150	6"	1

Magnetic Nutsetters



- Retail Package
- DIN 3126, ISO 1173, E 6.3



- Lobular Design reduces stripping of the nut corners

Code	Size	L (mm)	L (inch)	Pack
0171-0114	1/4"	48	1-7/8"	1
0171-0156	5/16"	48	1-7/8"	1
0171-0138	3/8"	48	1-7/8"	1
0171-0176	7/16"	48	1-7/8"	1
0171-0112	1/2"	48	1-7/8"	1
0171-0302	1/4, 5/16, 3/8"	48	1-7/8"	3
0171-0401	1/4, 5/16, 3/8, 7/16"	48	1-7/8"	4

Sockets Adapters



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
0182-0214	1/4"	50	2"	2
0182-0238	3/8"	50	2"	2
0182-0212	1/2"	50	2"	2
0182-0301	1/4, 3/8, 1/2"	50	2"	3
0183-0114	1/4"	75	3"	1
0183-0138	3/8"	75	3"	1
0183-0112	1/2"	75	3"	1
0186-0114	1/4"	150	6"	1
0186-0138	3/8"	150	6"	1
0186-0112	1/2"	150	6"	1

Magnetic Bit Holders



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon impact insert bits (DIN 3126, ISO 1173, C 6.3)



Code	Size	L (mm)	L (inch)	Pack
0162-0101	1/4"	54	2-1/8"	1
0162-0102	1/4" w/C-Rg	57	2-1/4"	1
0163-0101	1/4" w/C-Rg	76	3"	1

Square Drive Bit holders



- Retail Package
- DIN 3121
- For use with 1/4" or 5/16" hexagon impact insert bits (DIN 3126, ISO 1173, C 6.3, C 8)



Code	Size	L (mm)	L (inch)	Pack
0191-0101	1/4"	25	1"	1
0191-0102	3/8"	31	1-1/4"	1
0191-0103	1/2"	35	1-3/8"	1
0191-0104	3/8"	31	1-1/4"	1
0191-0105	1/2"	38	1-1/2"	1

Quick Change Bit Holders



- Retail Package
- DIN 3121
- For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)



Code	Size	L (mm)	L (inch)	Pack
0612-0102	1/4"	65	2-9/16"	1
0616-0102	1/4"	150	6"	1

Square Drive One-piece Bit Holders



- Retail Package
- DIN 3121
- For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)



Code	Size	L (mm)	L (inch)	Pack
0612-0103	1/4"	65	2-9/16"	1
0616-0103	1/4"	150	6"	1

Impact Wrench Adapters



- Retail Package
- DIN 3121
- For use with 1/4" hexagon impact insert & power bits (DIN 3126, ISO 1173, C 6.3, E6.3)



Code	Size	L (mm)	L (inch)	Pack
0362-0101	1/4"	57	2-1/4"	1
0362-0102	3/8"	57	2-1/4"	1
0362-0103	1/2"	62	2-7/16"	1

Magnetic Screw Holder



- Retail Package
- Applicable to SURETORQ impact bits with strong magnet adsorption. One hand fastening improves manual and automated operations



Code	Size	L (mm)	L (inch)	Pack
0201-0102	1/4"	21	13/16"	1

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessory Sets

Quality Is All That Matters

SURETORQ®

25PCS Impact Insert Bits, Tic-Tac Case



Code	Size	L (mm)	L (inch)	Pack
0421-2502	PH 2	25	1"	25
0421-2504	PH 2 Drywall	25	1"	25
0421-2512	PZ 2	25	1"	25
0421-2522	SQ 2	25	1"	25
0431-2520	Torx T20	25	1"	25
0431-2525	Torx T25	25	1"	25

13PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-1300	Impact insert bits (1")	12
	Quick change bit holder (2-9/16")	1

16PCS Impact Power Bit Set



Code	Contents	Pack
0410-1600	Impact power bits (2")	16

20PCS Impact Driver Accessory Set



Code	Contents	Pack
0410-2000	Impact insert bits (1")	10
	Impact power bits (2")	6
	Impact magnetic nutsetters 1/4, 5/16", 3/8" (1-7/8")	3
	Impact magnetic bit holder (2-1/8")	1

15PCS Impact Power Bits, Tic-Tac Case



Code	Size	L (mm)	L (inch)	Pack
0422-1502	PH 2	50	2"	15
0422-1512	PZ 2	50	2"	15
0422-1522	SQ 2	50	2"	15
0432-1520	Torx T20	50	2"	15
0432-1525	Torx T25	50	2"	15

15PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-1500	Impact insert bits (1")	6
	Impact power bits (2")	7
	Impact magnetic bit holder (2-1/8")	1
	Magnetic screw holder (13/16")	1

18PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-1800	Impact insert bits (1")	12
	Impact power bits (2")	5
	Impact magnetic bit holder (2-1/8")	1

31PCS Impact Driver Accessory Set



Code	Contents	Pack
0410-3100	Impact insert bits (1")	29
	Impact socket adapter 1/4" (1")	1
	Impact magnetic bit holder (2-1/8")	1

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



IMPACT Driver Accessory Sets

Quality Is All That Matters

SURETORQ®

26PCS Impact Driver Accessory Set



Code	Contents	Pack
0410-2600	Impact insert bits (1")	7
	Impact power bits (2")	10
	Impact power bits (3-1/2")	4
	Impact magnetic nutsetters 1/4, 5/16, 3/8" (2-9/16")	3
	Impact socket adapter 3/8" (2")	1
	Impact magnetic bit holder (2-1/8")	1

42PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-4200	Impact insert bits (1")	29
	Impact power bits (2")	7
	Impact power bits (3-1/2")	5
	Impact magnetic bit holder (2-1/8")	1

27PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-2700	Impact insert bits (1")	7
	Impact power bits (2")	10
	Impact power bits (3-1/2")	4
	Impact magnetic nutsetters 1/4, 5/16, 3/8" (2-9/16")	3
	Impact socket adapter 3/8" (2")	1
	Impact magnetic bit holder (3")	1
	Magnetic screw holder (13/16")	1

84PCS Impact Driver Accessory & Socket Set



Code	Contents	Pack
0410-8400	Impact insert bits (1")	40
	Impact power bits (2")	13
	Impact power bits (3-1/2")	2
	Impact power bits (6")	2
	Quick change bit holder (2-9/16")	1
	Impact magnetic nutsetters 1/4, 5/16, 3/8"	3
	Impact magnetic bit holder (2-1/8")	1
	Magnetic screw bit holder (13/16")	1
	Impact sockets 1/4, 5/16, 3/8, 7/16, 1/2, 9/16", 8, 10, 12, 13, 14, 15mm	12
	Impact socket adapter 3/8" (2")	1
	Impact hex shank drill bits 1/8(x2), 9/64, 5/32, 11/64, 3/16, 7/32, 1/4"	8

28PCS Impact Drill & Drive Accessory Set



Code	Contents	Pack
0410-2800	Impact insert bits (1")	7
	Impact power bits (2")	13
	Impact magnetic bit holder (2-1/8")	1
	Impact hex shank drill bits 1/16, 3/32, 1/8(x2), 5/32, 3/16, 1/4"	7

43PCS Impact Driver Accessory Set



Code	Contents	Pack
0410-4300	Impact insert bits (1")	24
	Impact power bits (2")	14
	Impact magnetic nutsetters 1/4, 5/16, 3/8, 7/16" (2-9/16")	4
	Impact magnetic bit holder (2-1/8")	1

113PCS Impact Screwdriver Bit Set



Code	Contents	Pack
0410-11300	Impact insert bits (1")	98
	Impact power bits (3-1/2")	13
	Quick change bit holder (2-9/16")	1
	Impact magnetic bit holder (2-1/8")	1

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



Impact Extractor



• Left hand spiral flutes for maximum gripping power



• Hex flats with square drive for use with impact wrench, ratcheting wrench or flat wrench



• Ideal for removing rounded off, rusted and painted over bolts or nuts

6PCS Impact Damaged Nut & Bolt Extractor Set



Code	Contents	Pack
0440-0604	3/8" Dr. Impact nut & bolt extractors (1-1/16") 5/16" (8mm), 10mm, 12mm, 13mm, 9/16" (14mm) Impact socket adapter 3/8" (2")	5 1



5PCS Deep Well Impact Damaged Nut & Bolt Extractor Set



Code	Contents	Pack
0440-0504	3/8" Dr. Deep well impact nut & bolt extractors (2-1/2") 10mm, 12mm, 13mm, 9/16" (14mm), 5/8" (16mm)	5



13PCS Impact Damaged Nut & Bolt Extractor Set



Code	Contents	Pack
0440-1301	3/8" Dr. Impact nut & bolt extractors (1-1/16") 1/4", 5/16" (8mm), 3/8", 10mm, 7/16" (11mm), 12mm, 1/2", 13mm, 9/16" (14mm), 5/8" (16mm), 17mm, 11/16", 3/4" (19mm)	13

19PCS Impact Damaged Nut & Bolt Extractor Set



Code	Contents	Pack
0440-1902	3/8" Dr. Impact nut & bolt extractors (1-1/16") 1/4", 5/16" (8mm), 3/8", 10mm, 7/16" (11mm), 12mm, 1/2", 13mm, 9/16" (14mm), 5/8" (16mm), 17mm, 11/16", 3/4" (19mm) Hex shank 1/4" Impact nut & bolt extractors (2-9/16") 5mm, 6mm, 5/16" (8mm), 10mm, 12mm Impact socket adapter 3/8" (2")	13 5 1

5PCS Impact Damaged Nut & Bolt Extractor Set



Code	Contents	Pack
0440-0505	1/2" Dr. Impact nut & bolt extractors (1-3/4") 3/4" (19mm), 13/16" (21mm), 7/8" (22mm), 15/16" (24mm), 1" (25mm)	5



4PCS Impact Socket Set



Code	Contents	Pack
0370-0401	Flip socket 1/2" (3") 17-19mm, 3/4"-13/16", 21mm-7/8" 1/2" Dr. Extension Bar (3")	3 1



IMPACT Sockets

7PCS Impact Socket Set (3/8" Drive)



Code	Contents	Pack
0370-0701	3/8" Dr. Impact sockets (1-19/64") 1/4, 5/16, 3/8, 7/16, 1/2, 9/16"	6
	Impact socket adapter 3/8" (2")	1
0370-0702	3/8" Dr. Impact sockets (1-19/64") 8, 10, 12, 13, 14, 15mm	6
	Impact socket adapter 3/8" (2")	1

9PCS Deep Well Impact Socket Set (Metric)



Code	Contents	Pack
0370-0903	3/8" Dr. Deep well impact sockets (2-7/16") 7, 8, 10, 12, 13, 15, 16, 17, 19mm	9
0370-0904	1/2" Dr. Deep well impact sockets (3-7/32") 10, 11, 13, 17, 19, 22, 24, 27, 30mm	9

7PCS Deep Well Impact Socket Set (3/8" Drive)



Code	Contents	Pack
0370-0703	3/8" Dr. Deep well impact sockets (2-7/16") 5/16, 3/8, 7/16, 1/2, 9/16, 5/8"	6
	Impact socket adapter 3/8" (2")	1
0370-0704	3/8" Dr. Deep well impact sockets (2-7/16") 7, 8, 10, 12, 13, 15mm	6
	Impact socket adapter 3/8" (2")	1

11PCS Deep Well Impact Socket Set (SAE)



Code	Contents	Pack
0370-1101	3/8" Dr. Impact sockets (2-7/16") 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"	11
0370-1102	1/2" Dr. Impact sockets (3-7/32") 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"	11

9PCS Impact Socket Set (3/8" Drive)



Code	Contents	Pack
0370-0901	3/8" Dr. Impact sockets (1-19/64") 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"	9
0370-0902	3/8" Dr. Impact sockets (1-19/64") 7, 8, 10, 12, 13, 15, 16, 17, 19mm	9

10PCS Impact Socket Set (1/2" Drive, Metric)



Code	Contents	Pack
0370-1002	1/2" Dr. Impact sockets (1-1/2") 10, 11, 13, 17, 19, 22, 24, 27, 30mm	9
	Impact socket adapter 1/2" (2")	1

Premium

Corrosion Resistant Tools



Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Slotted Insert Bits




1/4"

• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3101-2506	6-8		25	1"	25
3101-2507	8-10		25	1"	25
3101-2508	10-12		25	1"	25
3101-2538		0.8x4.0	25	1"	25
3101-2540		1.0x5.5	25	1"	25
3101-2542		1.2x6.5	25	1"	25

Slotted Power Bits



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	D (mm)	Pack
3102-1006	6-8		50	2"	6.1	10
3102-1007	8-10		50	2"	-	10
3102-1008	10-12		50	2"	-	10
3102-1038		0.8x4.0	50	2"	4.0	10
3102-1040		1.0x5.5	50	2"	5.5	10
3102-1042		1.2x6.5	50	2"	-	10

None-magnetic Nutsetters With Retaining Spring



1/4"

• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3071-0514	1/4"		48	1-7/8"	5
3071-0556	5/16"		48	1-7/8"	5
3071-0538	3/8"		48	1-7/8"	5
3071-0576	7/16"		48	1-7/8"	5
3071-0506		6	48	1-7/8"	5
3071-0508		8	48	1-7/8"	5
3071-0510		10	48	1-7/8"	5
3071-0512		12	48	1-7/8"	5

Phillips Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3111-0201	PH 1	25	1"	2
3111-0202	PH 2	25	1"	2
3111-0203	PH 3	25	1"	2
3111-0502	PH 2	25	1"	5

Phillips Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3112-0101	PH 1	50	2"	1
3112-0102	PH 2	50	2"	1
3112-0103	PH 3	50	2"	1

Pozidriv® Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3121-0201	PZ 1	25	1"	2
3121-0202	PZ 2	25	1"	2
3121-0203	PZ 3	25	1"	2
3121-0502	PZ 2	25	1"	5

Pozidriv® Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3122-0101	PZ 1	50	2"	1
3122-0102	PZ 2	50	2"	1
3122-0103	PZ 3	50	2"	1

Square Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3131-0201	SQ 1	25	1"	2
3131-0202	SQ 2	25	1"	2
3131-0203	SQ 3	25	1"	2
3131-0502	SQ 2	25	1"	5

Square Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3132-0101	SQ 1	50	2"	1
3132-0102	SQ 2	50	2"	1
3132-0103	SQ 3	50	2"	1

TORX® Insert Bits



• Retail Package
• DIN 3126, ISO 1173, C 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3141-0208	Torx T8	25	1"	2
3141-0210	Torx T10	25	1"	2
3141-0215	Torx T15	25	1"	2
3141-0220	Torx T20	25	1"	2
3141-0225	Torx T25	25	1"	2
3141-0227	Torx T27	25	1"	2
3141-0230	Torx T30	25	1"	2
3141-0240	Torx T40	25	1"	2
3141-0525	Torx T25	25	1"	5
3141-0501	Torx T10, T15, T20, T25, T30	25	1"	5

TORX® Power Bits



• Retail Package
• DIN 3126, ISO 1173, E 6.3



1/4"

Code	Size	L (mm)	L (inch)	Pack
3142-0108	Torx T8	50	2"	1
3142-0110	Torx T10	50	2"	1
3142-0115	Torx T15	50	2"	1
3142-0120	Torx T20	50	2"	1
3142-0125	Torx T25	50	2"	1
3142-0127	Torx T27	50	2"	1
3142-0130	Torx T30	50	2"	1
3142-0140	Torx T40	50	2"	1

TORX® Tamper Resistant Insert Bits




- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
3151-0208	Torx T8	25	1"	2
3151-0210	Torx T10	25	1"	2
3151-0215	Torx T15	25	1"	2
3151-0220	Torx T20	25	1"	2
3151-0225	Torx T25	25	1"	2
3151-0227	Torx T27	25	1"	2
3151-0230	Torx T30	25	1"	2
3151-0240	Torx T40	25	1"	2

Hex Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3271-0203	3/32"		25	1"	2
3271-0204	7/64"		25	1"	2
3271-0205	1/8"		25	1"	2
3271-0206	9/64"		25	1"	2
3271-0207	5/32"		25	1"	2
3271-0208	3/16"		25	1"	2
3271-0209	7/32"		25	1"	2
3271-0210	1/4"		25	1"	2
3271-0230		1.5	25	1"	2
3271-0231		2.0	25	1"	2
3271-0232		2.5	25	1"	2
3271-0233		3.0	25	1"	2
3271-0234		4.0	25	1"	2
3271-0235		5.0	25	1"	2
3271-0236		6.0	25	1"	2

Hex Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3272-0103	3/32"		50	2"	1
3272-0104	7/64"		50	2"	1
3272-0105	1/8"		50	2"	1
3272-0106	9/64"		50	2"	1
3272-0107	5/32"		50	2"	1
3272-0108	3/16"		50	2"	1
3272-0109	7/32"		50	2"	1
3272-0110	1/4"		50	2"	1
3272-0130		1.5	50	2"	1
3272-0131		2.0	50	2"	1
3272-0132		2.5	50	2"	1
3272-0133		3.0	50	2"	1
3272-0134		4.0	50	2"	1
3272-0135		5.0	50	2"	1
3272-0136		6.0	50	2"	1

Slotted Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3261-0206	6-8		25	1"	2
3261-0207	8-10		25	1"	2
3261-0208	10-12		25	1"	2
3261-0238		0.8x4.0	25	1"	2
3261-0240		1.0x5.5	25	1"	2
3261-0242		1.2x6.5	25	1"	2

Slotted Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3262-0106	6-8		50	2"	1
3262-0107	8-10		50	2"	1
3262-0108	10-12		50	2"	1
3262-0138		0.8x4.0	50	2"	1
3262-0140		1.0x5.5	50	2"	1
3262-0142		1.2x6.5	50	2"	1


None-magnetic Nutsetters With Retaining Spring



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Size (mm)	L (mm)	L (inch)	Pack
3171-0114	1/4"		48	1-7/8"	1
3171-0156	5/16"		48	1-7/8"	1
3171-0138	3/8"		48	1-7/8"	1
3171-0176	7/16"		48	1-7/8"	1
3171-0301	1/4, 5/16, 3/8"		48	1-7/8"	3
3171-0106		6	48	1-7/8"	1
3171-0108		8	48	1-7/8"	1
3171-0110		10	48	1-7/8"	1
3171-0112		12	48	1-7/8"	1
3171-0302		6, 8, 10	48	1-7/8"	3



Professional



Heavy-duty Working Tools



Quality Is
All That Matters

SURETORQ®

Phillips Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511DT	PH 1	25	1"	25
1011-2512DT	PH 2	25	1"	25
1011-2513DT	PH 3	25	1"	25

Phillips Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511TC	PH 1	25	1"	25
1011-2512TC	PH 2	25	1"	25
1011-2513TC	PH 3	25	1"	25

Phillips Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011DT	PH 1	50	2"	10
1012-1012DT	PH 2	50	2"	10
1012-1013DT	PH 3	50	2"	10

Phillips Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011TC	PH 1	50	2"	10
1012-1012TC	PH 2	50	2"	10
1012-1013TC	PH 3	50	2"	10

Pozidriv® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511DT	PZ 1	25	1"	25
1021-2512DT	PZ 2	25	1"	25
1021-2513DT	PZ 3	25	1"	25

Pozidriv® Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511TC	PZ 1	25	1"	25
1021-2512TC	PZ 2	25	1"	25
1021-2513TC	PZ 3	25	1"	25

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools

Pozidriv® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011DT	PZ 1	50	2"	10
1022-1012DT	PZ 2	50	2"	10
1022-1013DT	PZ 3	50	2"	10

Pozidriv® Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011TC	PZ 1	50	2"	10
1022-1012TC	PZ 2	50	2"	10
1022-1013TC	PZ 3	50	2"	10

TORX® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2510DT	Torx T10	25	1"	25
1041-2515DT	Torx T15	25	1"	25
1041-2520DT	Torx T20	25	1"	25
1041-2525DT	Torx T25	25	1"	25
1041-2527DT	Torx T27	25	1"	25
1041-2530DT	Torx T30	25	1"	25
1041-2540DT	Torx T40	25	1"	25

TORX® Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2510TC	Torx T10	25	1"	25
1041-2515TC	Torx T15	25	1"	25
1041-2520TC	Torx T20	25	1"	25
1041-2525TC	Torx T25	25	1"	25
1041-2527TC	Torx T27	25	1"	25
1041-2530TC	Torx T30	25	1"	25
1041-2540TC	Torx T40	25	1"	25

TORX® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1010DT	Torx T10	50	2"	4.0	10
1042-1015DT	Torx T15	50	2"	4.0	10
1042-1020DT	Torx T20	50	2"	4.8	10
1042-1025DT	Torx T25	50	2"	5.0	10
1042-1027DT	Torx T27	50	2"	6.0	10
1042-1030DT	Torx T30	50	2"	6.2	10
1042-1040DT	Torx T40	50	2"	-	10

TORX® Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1010TC	Torx T10	50	2"	4.0	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1042-1015TC	Torx T15	50	2"	4.0	10
1042-1020TC	Torx T20	50	2"	4.8	10
1042-1025TC	Torx T25	50	2"	5.0	10
1042-1027TC	Torx T27	50	2"	6.0	10
1042-1030TC	Torx T30	50	2"	6.2	10
1042-1040TC	Torx T40	50	2"	-	10

Slotted Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2505DT	5-6		25	1"	25
1101-2506DT	6-8		25	1"	25
1101-2507DT	8-10		25	1"	25
1101-2508DT	10-12		25	1"	25
1101-2536DT		0.6x4.5	25	1"	25
1101-2539DT		0.8x5.5	25	1"	25
1101-2540DT		1.0x5.5	25	1"	25
1101-2542DT		1.2x6.5	25	1"	25

Slotted Insert Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, C 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1101-2505TC	5-6		25	1"	25
1101-2506TC	6-8		25	1"	25
1101-2507TC	8-10		25	1"	25
1101-2508TC	10-12		25	1"	25
1101-2536TC		0.6x4.5	25	1"	25
1101-2539TC		0.8x5.5	25	1"	25
1101-2540TC		1.0x5.5	25	1"	25
1101-2542TC		1.2x6.5	25	1"	25

Slotted Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1005DT	5-6		50	2"	10
1102-1006DT	6-8		50	2"	10
1102-1007DT	8-10		50	2"	10
1102-1008DT	10-12		50	2"	10
1102-1036DT		0.6x4.5	50	2"	10
1102-1039DT		0.8x5.5	50	2"	10
1102-1040DT		1.0x5.5	50	2"	10
1102-1042DT		1.2x6.5	50	2"	10

Slotted Power Bits, Torsion, Titanium Coating



• DIN 3126, ISO 1173, E 6.3

Code	Size	Size (mm)	L (mm)	L (inch)	Pack
1102-1005TC	5-6		50	2"	10
1102-1006TC	6-8		50	2"	10
1102-1007TC	8-10		50	2"	10
1102-1008TC	10-12		50	2"	10
1102-1036TC		0.6x4.5	50	2"	10
1102-1039TC		0.8x5.5	50	2"	10
1102-1040TC		1.0x5.5	50	2"	10
1102-1042TC		1.2x6.5	50	2"	10

Phillips Double-Ended Bits, Nickel Plating



• 17.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1001NP	PH 1	50	2"	10
1512-1002NP	PH 2	50	2"	10
1512-1003NP	PH 3	50	2"	10
1513-1001NP	PH 1	65	2-9/16"	10
1513-1002NP	PH 2	65	2-9/16"	10
1513-1005NP	P2R	65	2-9/16"	10
1513-1003NP	PH 3	65	2-9/16"	10
1513-1009NP	PH1/PH2	65	2-9/16"	10
1513-1012NP	PH2/PH3	65	2-9/16"	10
1503-1006NP	PH2/SL1x6	65	2-9/16"	10
1515-1001NP	PH 1	110	4"	10
1515-1002NP	PH 2	110	4"	10
1515-1003NP	PH 3	110	4"	10
1516-1002NP	PH 2	150	6"	10
1518-1002NP	PH 2	200	8"	10

Phillips Double-Ended Bits, Gold Color



• 17.5mm Power Groove

Code	Size	L (mm)	L (inch)	Pack
1512-1001GC	PH 1	50	2"	10
1512-1002GC	PH 2	50	2"	10
1512-1003GC	PH 3	50	2"	10
1513-1001GC	PH 1	65	2-9/16"	10
1513-1002GC	PH 2	65	2-9/16"	10
1513-1005GC	P2R	65	2-9/16"	10
1513-1003GC	PH 3	65	2-9/16"	10
1513-1009GC	PH1/PH2	65	2-9/16"	10
1513-1012GC	PH2/PH3	65	2-9/16"	10
1503-1006GC	PH2/SL1x6	65	2-9/16"	10
1515-1001GC	PH 1	110	4"	10
1515-1002GC	PH 2	110	4"	10
1515-1003GC	PH 3	110	4"	10
1516-1002GC	PH 2	150	6"	10
1518-1002GC	PH 2	200	8"	10

Phillips Insert Bits, Torsion



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2511TS	PH 1	25	1"	25
1011-2512TS	PH 2	25	1"	25
1011-2513TS	PH 3	25	1"	25

Phillips Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1011-2500	PH 0	25	1"	25
1011-2501	PH 1	25	1"	25
1011-2502	PH 2	25	1"	25
1011-2503	PH 3	25	1"	25
1011-2505	PH 2 Drywall	25	1"	25

Phillips Drywall Screw Setters



• DIN 3126, ISO 1173, C 6.3,

Code	Size	L (mm)	L (inch)	Pack
1211-2502	PH 2	25	1"	25

Phillips Drywall Screw Setters



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1212-1002	PH 2	50	2"	10

Phillips Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1011TS	PH 1	50	2"	10
1012-1012TS	PH 2	50	2"	10
1012-1013TS	PH 3	50	2"	10
1017-1011TS	PH 1	75	3"	10
1017-1012TS	PH 2	75	3"	10
1017-1013TS	PH 3	75	3"	10
1013-1012TS	PH 2	89	3-1/2"	10
1013-1013TS	PH 3	89	3-1/2"	10
1014-1012TS	PH 2	100	4"	10
1014-1013TS	PH 3	100	4"	10
1016-1012TS	PH 2	150	6"	10
1016-1013TS	PH 3	150	6"	10

Phillips Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1012-1000	PH 0	50	2"	10
1012-1001	PH 1	50	2"	10
1012-1002	PH 2	50	2"	10
1012-1003	PH 3	50	2"	10
1017-1001	PH 1	75	3"	10
1017-1002	PH 2	75	3"	10
1017-1003	PH 3	75	3"	10
1013-1001	PH 1	89	3-1/2"	10
1013-1002	PH 2	89	3-1/2"	10
1013-1003	PH 3	89	3-1/2"	10
1014-1001	PH 1	100	4"	10
1014-1002	PH 2	100	4"	10
1014-1003	PH 3	100	4"	10
1016-1001	PH 1	150	6"	10
1016-1002	PH 2	150	6"	10
1016-1003	PH 3	150	6"	10

Phillips Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1012-1000RD	PH 0	50	2"	2.5	10
1012-1000TD	PH 0	50	2"	4	10
1012-1001RD	PH 1	50	2"	3.5	10
1012-1001TD	PH 1	50	2"	5	10
1012-1002RD	PH 2	50	2"	4.5	10
1012-1002TD	PH 2	50	2"	6	10
1012-1003TD	PH 3	50	2"	6	10
1017-1001RD	PH 1	75	3"	3.5	10
1017-1001TD	PH 1	75	3"	5	10
1017-1002RD	PH 2	75	3"	4.5	10
1017-1002TD	PH 2	75	3"	6	10
1017-1003TD	PH 3	75	3"	6	10
1013-1001RD	PH 1	89	3-1/2"	3.5	10
1013-1001TD	PH 1	89	3-1/2"	5	10
1013-1002RD	PH 2	89	3-1/2"	4.5	10
1013-1002TD	PH 2	89	3-1/2"	6	10
1013-1003TD	PH 3	89	3-1/2"	6	10
1014-1001RD	PH 1	100	4"	3.5	10
1014-1001TD	PH 1	100	4"	5	10
1014-1002RD	PH 2	100	4"	4.5	10
1014-1002TD	PH 2	100	4"	6	10
1014-1003TD	PH 3	100	4"	6	10
1016-1001TD	PH 1	150	6"	5	10
1016-1002RD	PH 2	150	6"	4.5	10
1016-1002TD	PH 2	150	6"	6	10
1016-1003TD	PH 3	150	6"	6	10



ACR PHILLIPS II® Drive Systems



P Includes comprehensive engineering Head Standards, Drive Bit Standards, Gauge Standards, and Punch Standards.

Designed and engineered to replace generic Phillips screws. The PHILLIPS II® Drive System has been designed to meet the ever-challenging demand of faster manufacturing assembly processes that can cause driver cam-out, resulting in component surface damage and scrapped components. It facilitates off-angle fastener driving efficiency in difficult assembly positions and reduces end-load pressure, resulting in less operator fatigue.

Features

- Enhanced cradform drive with anti-cam-out recess (ACR®) technology
- Reduced end-load pressure
- Distinctive head marking that easily identifies PHILLIPS II Drive System

Benefits

- Virtually eliminates cam-out
- Improves off-angle drive efficiency
- Reduces burned screwheads and mangled components
- Lowers operator fatigue and increases productivity
- Field service compatible with generic Phillips driver bits
- Aids in disassembly for more effective maintenance and service
- Speeds assembly while reducing defects and rework

Application

Automotive, Electronics, Industrial, Construction

ACR PHILLIPS II® is a registered trademark of Phillips Screw Company.

For more information on the ACR PHILLIPS II® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

ACR Phillips II® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1921-2500	ACR 0	25	1"	25
1921-2501	ACR 1	25	1"	25
1921-2502	ACR 2	25	1"	25
1921-2503	ACR 3	25	1"	25

ACR Phillips II® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1922-1000	ACR 0	50	2"	10
1922-1001	ACR 1	50	2"	10
1922-1002	ACR 2	50	2"	10
1922-1003	ACR 3	50	2"	10
1927-1002	ACR 2	75	3"	10
1923-1002	ACR 2	89	3-1/2"	10
1926-1002	ACR 2	150	6"	10

ACR Phillips II® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1922-1000TD	ACR 0	50	2"	3.2	10
1922-1001RD	ACR 1	50	2"	3.2	10
1922-1001TD	ACR 1	50	2"	4.8	10
1922-1002RD	ACR 2	50	2"	4.8	10
1922-1002TD	ACR 2	50	2"	6.0	10
1922-1003TD	ACR 3	50	2"	6.0	10
1927-1002RD	ACR 2	75	3"	4.8	10
1927-1002TD	ACR 2	75	3"	6.0	10
1923-1002RD	ACR 2	89	3-1/2"	4.8	10
1923-1002TD	ACR 2	89	3-1/2"	6.0	10
1926-1002RD	ACR 2	150	6"	4.8	10
1926-1002TD	ACR 2	150	6"	6.0	10



PHILLIPS SQUARE-DRIV® Drive Systems



P Includes comprehensive engineering Head Standards, Drive Bit Standards, Gauge Standards, Quality Standards and Punch Standards.

The One drive system with five choices of engagement.

The benefits of the PHILLIPS SQUARE-DRIV® Drive System are significant. In larger, higher torque applications where stick-slip is crucial, PHILLIPS SQUARE-DRIV is especially useful. Fasteners can be better controlled at higher torque levels for optimum clamp loads. This reduces driver bit wear and eliminates driver cam-out which can cause recess reaming, component damage/rework and operator injury.

Features

- Unique combination drive system with ACR technology
- Only three driver bit sizes required to cover the most popular size-range
- Higher torque driving capability for thread-forming screw applications
- Non-magnetic fastener-to-bit stick-slip
- Distinctive head marking that easily identifies a PHILLIPS SQUARE-DRIV Drive System

Benefits

- Significantly enhances driving torque capability
- Extends driver bit life
- Facilitates one-hand fastener installation
- Aids in disassembly for more effective maintenance and service
- Virtually eliminates dropped screws in assembly area and on factory floor

Application

Automotive, Electronics, Industrial, Marine, Construction

PHILLIPS SQUARE-DRIV® is a registered trademark of Phillips Screw Company.

For more information on the PHILLIPS SQUARE-DRIV® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

Phillips Square-Driv® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1901-2500	PSD 0-1	25	1"	25
1901-2501	PSD 1-2	25	1"	25
1901-2502	PSD 2-2	25	1"	25
1901-2503	PSD 3-3	25	1"	25

Phillips Square-Driv® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1902-1000	PSD 0-1	50	2"	10
1902-1001	PSD 1-2	50	2"	10
1902-1002	PSD 2-2	50	2"	10
1902-1003	PSD 3-3	50	2"	10
1907-1002	PSD 2-2	75	3"	10
1903-1002	PSD 2-2	89	3-1/2"	10
1906-1002	PSD 2-2	150	6"	10

Pozidriv® Insert Bits, Torsion



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2511TS	PZ 1	25	1"	25
1021-2512TS	PZ 2	25	1"	25
1021-2513TS	PZ 3	25	1"	25

Pozidriv® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1021-2500	PZ 0	25	1"	25
1021-2501	PZ 1	25	1"	25
1021-2502	PZ 2	25	1"	25
1021-2503	PZ 3	25	1"	25



POZIDRIV® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards, Gaging Standards and Formule Data Standards.

The drive system of choice for high-volume assembly operations. The self-centering POZIDRIV® Cruciform Drive System is ideal wherever high production is essential. Its self-centering design provides excellent driving control with less operator fatigue. In addition, it is highly wear-resistant to withstand the stresses of repeated torquing for exceptionally long life when POZIDRIV® driver bits are used.

Features

- Offers fast, efficient installation
- Excellent driver control
- Self-centering
- Provides better mating with driver
- Wear-resistant design

Benefits

- Reduced worker fatigue
- Extended drive tool life
- Reduced cam-out at higher torques
- Eliminates damaged screws
- Improved manual and automated operations

POZIDRIV® is a registered trademark of Phillips Screw Company.

For more information on the POZIDRIV® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

Pozidriv® Drywall Screw Setter



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1211-2512	PZ 2	25	1"	25

Pozidriv® Drywall Screw Setter



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1212-1012	PZ 2	50	2"	10

Pozidriv® Power Bits, Torsion



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1011TS	PZ 1	50	2"	10
1022-1012TS	PZ 2	50	2"	10
1022-1013TS	PZ 3	50	2"	10
1027-1011TS	PZ 1	75	3"	10
1027-1012TS	PZ 2	75	3"	10
1027-1013TS	PZ 3	75	3"	10
1023-1012TS	PZ 2	89	3-1/2"	10
1023-1013TS	PZ 3	89	3-1/2"	10
1024-1012TS	PZ 2	100	4"	10
1024-1013TS	PZ 3	100	4"	10
1026-1012TS	PZ 2	150	6"	10
1026-1013TS	PZ 3	150	6"	10


Pozidriv® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1022-1000	PZ 0	50	2"	10
1022-1001	PZ 1	50	2"	10
1022-1002	PZ 2	50	2"	10
1022-1003	PZ 3	50	2"	10
1027-1001	PZ 1	75	3"	10
1027-1002	PZ 2	75	3"	10
1027-1003	PZ 3	75	3"	10
1023-1001	PZ 1	89	3-1/2"	10
1023-1002	PZ 2	89	3-1/2"	10
1023-1003	PZ 3	89	3-1/2"	10
1024-1001	PZ 1	100	4"	10
1024-1002	PZ 2	100	4"	10
1024-1003	PZ 3	100	4"	10
1026-1001	PZ 1	150	6"	10
1026-1002	PZ 2	150	6"	10
1026-1003	PZ 3	150	6"	10

Pozidriv® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1022-1000RD	PZ 0	50	2"	2.5	10
1022-1000TD	PZ 0	50	2"	4	10
1022-1001RD	PZ 1	50	2"	3.5	10
1022-1001TD	PZ 1	50	2"	5	10
1022-1002RD	PZ 2	50	2"	4.5	10
1022-1002TD	PZ 2	50	2"	6	10
1022-1003TD	PZ 3	50	2"	6	10
1027-1001RD	PZ 1	75	3"	3.5	10
1027-1001TD	PZ 1	75	3"	5	10
1027-1002RD	PZ 2	75	3"	4.5	10
1027-1002TD	PZ 2	75	3"	6	10
1027-1003TD	PZ 3	75	3"	6	10
1023-1001RD	PZ 1	89	3-1/2"	3.5	10
1023-1001TD	PZ 1	89	3-1/2"	5	10
1023-1002RD	PZ 2	89	3-1/2"	4.5	10
1023-1002TD	PZ 2	89	3-1/2"	6	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1023-1003TD	PZ 3	89	3-1/2"	6	10
1024-1001RD	PZ 1	100	4"	3.5	10
1024-1001TD	PZ 1	100	4"	5	10
1024-1002RD	PZ 2	100	4"	4.5	10
1024-1002TD	PZ 2	100	4"	6	10
1024-1003TD	PZ 3	100	4"	6	10
1026-1001TD	PZ 1	150	6"	5	10
1026-1002RD	PZ 2	150	6"	4.5	10
1026-1002TD	PZ 2	150	6"	6	10
1026-1003TD	PZ 3	150	6"	6	10

Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2500	SQ 0	25	1"	25
1031-2501	SQ 1	25	1"	25
1031-2502	SQ 2	25	1"	25
1031-2503	SQ 3	25	1"	25

Square Insert Bits, 2 Piece Construction



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1031-2551	SQ 1	25	1"	25
1031-2552	SQ 2	25	1"	25
1031-2553	SQ 3	25	1"	25

Square Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1000	SQ 0	50	2"	10
1032-1001	SQ 1	50	2"	10
1032-1002	SQ 2	50	2"	10
1032-1003	SQ 3	50	2"	10
1037-1001	SQ 1	75	3"	10
1037-1002	SQ 2	75	3"	10
1037-1003	SQ 3	75	3"	10
1033-1001	SQ 1	89	3-1/2"	10
1033-1002	SQ 2	89	3-1/2"	10
1033-1003	SQ 3	89	3-1/2"	10
1034-1001	SQ 1	100	4"	10
1034-1002	SQ 2	100	4"	10
1034-1003	SQ 3	100	4"	10
1035-1001	SQ 1	127	5"	10
1035-1002	SQ 2	127	5"	10
1035-1003	SQ 3	127	5"	10
1036-1001	SQ 1	150	6"	10
1036-1002	SQ 2	150	6"	10
1036-1003	SQ 3	150	6"	10

Square Power Bits, 2 Piece Construction



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1032-1051	SQ 1	50	2"	10
1032-1052	SQ 2	50	2"	10
1032-1053	SQ 3	50	2"	10
1037-1051	SQ 1	75	3"	10
1037-1052	SQ 2	75	3"	10
1037-1053	SQ 3	75	3"	10
1033-1051	SQ 1	89	3-1/2"	10
1033-1052	SQ 2	89	3-1/2"	10
1033-1053	SQ 3	89	3-1/2"	10
1036-1051	SQ1	150	6"	10
1036-1052	SQ2	150	6"	10
1036-1053	SQ3	150	6"	10

Square Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1032-1000TD	SQ 0	50	2"	4.5	10
1032-1001TD	SQ 1	50	2"	4.5	10
1032-1002TD	SQ 2	50	2"	6	10
1032-1003TD	SQ 3	50	2"	6	10
1037-1001TD	SQ 1	75	3"	4.5	10
1037-1002TD	SQ 2	75	3"	6	10
1037-1003TD	SQ 3	75	3"	6	10
1034-1001TD	SQ 1	100	4"	4.5	10
1034-1002TD	SQ 2	100	4"	6	10
1034-1003TD	SQ 3	100	4"	6	10
1035-1001TD	SQ 1	127	5"	4.5	10
1035-1002TD	SQ 2	127	5"	6	10
1035-1003TD	SQ 3	127	5"	6	10
1036-1001TD	SQ 1	150	6"	4.5	10
1036-1002TD	SQ 2	150	6"	6	10
1036-1003TD	SQ 3	150	6"	6	10

PROGRESSIVE CHINYIP (TIANJIN) CO., LTD.
A MEMBER OF THE CHINA GROUP

2017 CERTIFICATION

TORX Drive System

Acument
Member & Supplier
Division of IP & Licensing

The TORX® Drive System was specifically designed to provide a simple, cost-effective solution to the problems inherent in the process of installing and removing fasteners. Used in a multitude of industries, the TORX Drive System can enhance product reliability, increase productivity, and reduce total assembly costs — all of which are keys to remaining competitive in today's marketplace.

Features

- Lead-in chamfer
- 15° drive angle
- Straight side walls
- Broad contact surface
- Can be used with fastener diameters from M0.9 to M24 (#00 to 1")

Benefits

- Reduces camout
- Reduces need for excessive end load force
- Extends tool life
- Reduces worker fatigue
- Reduces rework and scrap
- Reduces radial forces which damage tools and fastener

TORX® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2501	Torx T1	25	1"	25
1041-2502	Torx T2	25	1"	25
1041-2503	Torx T3	25	1"	25
1041-2504	Torx T4	25	1"	25
1041-2505	Torx T5	25	1"	25
1041-2506	Torx T6	25	1"	25
1041-2507	Torx T7	25	1"	25
1041-2508	Torx T8	25	1"	25
1041-2509	Torx T9	25	1"	25
1041-2510	Torx T10	25	1"	25
1041-2515	Torx T15	25	1"	25
1041-2520	Torx T20	25	1"	25
1041-2525	Torx T25	25	1"	25
1041-2527	Torx T27	25	1"	25
1041-2530	Torx T30	25	1"	25
1041-2540	Torx T40	25	1"	25

TORX® Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1041-1045	Torx T45	32	1-1/4"	10
1041-1050	Torx T50	32	1-1/4"	10
1041-1055	Torx T55	32	1-1/4"	10
1041-1060	Torx T60	32	1-1/4"	10

TORX® Align Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1041-2506TW	Torx T6W	25	1"	25
1041-2507TW	Torx T7W	25	1"	25
1041-2508TW	Torx T8W	25	1"	25
1041-2509TW	Torx T9W	25	1"	25
1041-2510TW	Torx T10W	25	1"	25
1041-2515TW	Torx T15W	25	1"	25
1041-2520TW	Torx T20W	25	1"	25
1041-2525TW	Torx T25W	25	1"	25
1041-2527TW	Torx T27W	25	1"	25
1041-2530TW	Torx T30W	25	1"	25
1041-2540TW	Torx T40W	25	1"	25

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools



PROGRESSIVE CHINYIP (TIANJIN) CO., LTD.
QUALITY LINE DRIVING SYSTEMS SINCE 1987

2017 CERTIFICATION




TORXplus Drive System



Since its introduction, TORX PLUS® Drive has consistently outperformed every other drive system. Its longer tool life and optimal torque transfer have enhanced product reliability, increased productivity, and reduced total assembly costs on assembly lines in a multitude of industries around the world.

Features

- 0° drive angle
- Elliptical geometric configuration maximizes drive bit engagement
- Large cross-sectional area at lobes
- Broad contact surface
- Vertical sidewalls



Benefits

- Provides an average 100% improvement in drive bit life
- Can reduce assembly downtime by reducing the number of bit changes and rework
- Optimizes torque transfer
- Virtually eliminates camout
- Reduces end load and worker fatigue
- Reduces annual drive bit costs

TORX PLUS® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX PLUS® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX PLUS® IP Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1221-2501	1 IP	25	1"	25
1221-2502	2 IP	25	1"	25
1221-2503	3 IP	25	1"	25
1221-2504	4 IP	25	1"	25
1221-2505	5 IP	25	1"	25
1221-2506	6 IP	25	1"	25
1221-2507	7 IP	25	1"	25
1221-2508	8 IP	25	1"	25
1221-2509	9 IP	25	1"	25
1221-2510	10 IP	25	1"	25
1221-2515	15 IP	25	1"	25
1221-2520	20 IP	25	1"	25
1221-2525	25 IP	25	1"	25
1221-2527	27 IP	25	1"	25
1221-2530	30 IP	25	1"	25
1221-2540	40 IP	25	1"	25

TORX PLUS® IP Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1221-1045	45 IP	32	1-1/4"	10
1221-1050	50 IP	32	1-1/4"	10
1221-1055	55 IP	32	1-1/4"	10

TORX PLUS® IP Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1222-1001	1 IP	50	2"	10
1222-1002	2 IP	50	2"	10
1222-1003	3 IP	50	2"	10
1222-1004	4 IP	50	2"	10
1222-1005	5 IP	50	2"	10
1222-1006	6 IP	50	2"	10
1222-1007	7 IP	50	2"	10
1222-1008	8 IP	50	2"	10
1222-1009	9 IP	50	2"	10
1222-1010	10 IP	50	2"	10

Code	Size	L (mm)	L (inch)	Pack
1222-1015	15 IP	50	2"	10
1222-1020	20 IP	50	2"	10
1222-1025	25 IP	50	2"	10
1222-1027	27 IP	50	2"	10
1222-1030	30 IP	50	2"	10
1222-1040	40 IP	50	2"	10

TORX PLUS® IP Power Bits, Turned Down Shank



25.4mm



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1222-1001TD	1 IP	50	2"	2.0	10
1222-1002TD	2 IP	50	2"	2.0	10
1222-1003TD	3 IP	50	2"	2.0	10
1222-1004TD	4 IP	50	2"	3.0	10
1222-1005TD	5 IP	50	2"	3.0	10
1222-1006TD	6 IP	50	2"	3.0	10
1222-1007TD	7 IP	50	2"	3.0	10
1222-1008TD	8 IP	50	2"	3.5	10
1222-1009TD	9 IP	50	2"	3.5	10
1222-1010TD	10 IP	50	2"	4.0	10
1222-1015TD	15 IP	50	2"	4.0	10
1222-1020TD	20 IP	50	2"	4.8	10
1222-1025TD	25 IP	50	2"	5.0	10
1222-1027TD	27 IP	50	2"	6.0	10
1222-1030TD	30 IP	50	2"	6.2	10
1227-1005TD	5 IP	75	3"	3.0	10
1227-1006TD	6 IP	75	3"	3.0	10
1227-1007TD	7 IP	75	3"	3.0	10
1227-1008TD	8 IP	75	3"	3.5	10
1227-1009TD	9 IP	75	3"	3.5	10
1227-1010TD	10 IP	75	3"	4.0	10
1227-1015TD	15 IP	75	3"	4.0	10
1227-1020TD	20 IP	75	3"	4.8	10
1227-1025TD	25 IP	75	3"	5.0	10
1227-1027TD	27 IP	75	3"	6.0	10
1227-1030TD	30 IP	75	3"	6.2	10
1223-1005TD	5 IP	89	3-1/2"	3.0	10
1223-1006TD	6 IP	89	3-1/2"	3.0	10
1223-1007TD	7 IP	89	3-1/2"	3.0	10
1223-1008TD	8 IP	89	3-1/2"	3.5	10
1223-1009TD	9 IP	89	3-1/2"	3.5	10
1223-1010TD	10 IP	89	3-1/2"	4.0	10
1223-1015TD	15 IP	89	3-1/2"	4.0	10
1223-1020TD	20 IP	89	3-1/2"	4.8	10
1223-1025TD	25 IP	89	3-1/2"	5.0	10
1223-1027TD	27 IP	89	3-1/2"	6.0	10
1223-1030TD	30 IP	89	3-1/2"	6.2	10



TORX PLUS® IPR Drive Systems


Manufacturers the world over are discovering how the TORX PLUS® Drive increases torque transfer, extends tool life, and increases productivity on their assembly lines. Now these benefits are available in a unique tamper-resistant version. When combined with a countersunk or button head design, the tamper-resistant TORX PLUS fastener is extremely difficult to remove without the proper tool.

Provides Restricted Access To Any Application


The tamper-resistant TORX PLUS® Drive offers restricted access in the field along with all the assembly benefits of the TORX PLUS Drive.

Features

- Non-symmetrical, elliptically-based geometric configuration
- Five lobes with solid post in center of recess
- Drivers only available to OEMs and authorized service personnel
- Concentricity and tight tolerances of tamper-resistant TORX PLUS tools make them very difficult to counterfeit



Standard TORX PLUS Drive Design



Tamper-Resistant TORX PLUS Drive Design

Benefits

- Allows optimum torque transfer and increased drivability
- Allows improved productivity on the assembly line
- Non-symmetrical shape provides increased resistance to tampering
- Limited access to proper drivers maintains integrity of system

TORX PLUS® IPR Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1241-2501	1 IPR	25	1"	25
1241-2502	2 IPR	25	1"	25
1241-2503	3 IPR	25	1"	25
1241-2504	4 IPR	25	1"	25
1241-2505	5 IPR	25	1"	25
1241-2506	6 IPR	25	1"	25
1241-2507	7 IPR	25	1"	25

TORX PLUS® IPR Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1241-2508	8 IPR	25	1"	25
1241-2509	9 IPR	25	1"	25
1241-2510	10 IPR	25	1"	25
1241-2515	15 IPR	25	1"	25
1241-2520	20 IPR	25	1"	25
1241-2525	25 IPR	25	1"	25
1241-2527	27 IPR	25	1"	25
1241-2530	30 IPR	25	1"	25
1241-2540	40 IPR	25	1"	25

TORX PLUS® IPR Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1241-1045	45 IPR	32	1-1/4"	10
1241-1050	50 IPR	32	1-1/4"	10
1241-1055	55 IPR	32	1-1/4"	10

TORX PLUS® IPR Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1242-1001	1 IPR	50	2"	10
1242-1002	2 IPR	50	2"	10
1242-1003	3 IPR	50	2"	10
1242-1004	4 IPR	50	2"	10
1242-1005	5 IPR	50	2"	10
1242-1006	6 IPR	50	2"	10
1242-1007	7 IPR	50	2"	10


TORX PLUS® IPR Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1242-1008	8 IPR	50	2"	10
1242-1009	9 IPR	50	2"	10
1242-1010	10 IPR	50	2"	10
1242-1015	15 IPR	50	2"	10
1242-1020	20 IPR	50	2"	10
1242-1025	25 IPR	50	2"	10
1242-1027	27 IPR	50	2"	10
1242-1030	30 IPR	50	2"	10
1242-1040	40 IPR	50	2"	10

TORX PLUS® IPR Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1242-1001TD	1 IPR	50	2"	2	10
1242-1002TD	2 IPR	50	2"	2	10
1242-1003TD	3 IPR	50	2"	2	10
1242-1004TD	4 IPR	50	2"	3	10
1242-1005TD	5 IPR	50	2"	3	10
1242-1006TD	6 IPR	50	2"	3	10
1242-1007TD	7 IPR	50	2"	3	10
1247-1005TD	5 IPR	75	3"	3	10
1247-1006TD	6 IPR	75	3"	3	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1247-1007TD	7 IPR	75	3"	3	10
1243-1005TD	5 IPR	89	3-1/2"	3	10
1243-1006TD	6 IPR	89	3-1/2"	3	10
1243-1007TD	7 IPR	89	3-1/2"	3	10

TORX PLUS® IPR Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1242-1008TD	8 IPR	50	2"	3.5	10
1242-1009TD	9 IPR	50	2"	3.5	10
1242-1010TD	10 IPR	50	2"	4	10
1242-1015TD	15 IPR	50	2"	4	10
1242-1020TD	20 IPR	50	2"	4.8	10
1242-1025TD	25 IPR	50	2"	5	10
1242-1027TD	27 IPR	50	2"	6	10
1242-1030TD	30 IPR	50	2"	6.2	10
1247-1008TD	8 IPR	75	3"	3.5	10
1247-1009TD	9 IPR	75	3"	3.5	10
1247-1010TD	10 IPR	75	3"	4	10
1247-1015TD	15 IPR	75	3"	4	10
1247-1020TD	20 IPR	75	3"	4.8	10
1247-1025TD	25 IPR	75	3"	5	10
1247-1027TD	27 IPR	75	3"	6	10
1247-1030TD	30 IPR	75	3"	6.2	10
1243-1008TD	8 IPR	89	3-1/2"	3.5	10
1243-1009TD	9 IPR	89	3-1/2"	3.5	10
1243-1010TD	10 IPR	89	3-1/2"	4	10
1243-1015TD	15 IPR	89	3-1/2"	4	10
1243-1020TD	20 IPR	89	3-1/2"	4.8	10
1243-1025TD	25 IPR	89	3-1/2"	5	10
1243-1027TD	27 IPR	89	3-1/2"	6	10
1243-1030TD	30 IPR	89	3-1/2"	6.2	10

PROGRESSIVE CHUNIP (TIANJIN) CO., LTD.
ANVIL (TIANJIN) CO., LTD.

2017 CERTIFICATION

acument
Mark S. Beavler
Director of IP & Licensing

- **Blind-fit:** screwdriver "sticks-fit" in the recess
- **No wobbling:** driver does not wobble and cam-out of the recess
- **One-handed operation:** possible because it is stable, you don't need one hand on the screw and the other on the driver
- **No magnetic bit holder needed:** thus there are no steel splinters to clog the bit
- **Guiding:** screwdriver enters the screw recess more easily (also advantage on coated screws).

TORX® ttap® is a registered trademark of Acument® Intellectual Properties, LLC.

For more information on the TORX® ttap® Drive System, please visit Acument® Intellectual Properties, LLC. website at www.acument.com.

TORX® ttap® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1341-2510	ttap T10	25	1"	25
1341-2515	ttap T15	25	1"	25
1341-2520	ttap T20	25	1"	25
1341-2525	ttap T25	25	1"	25
1341-2530	ttap T30	25	1"	25
1341-2540	ttap T40	25	1"	25

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

Code	Size	L (mm)	L (inch)	Pack
1302-1021	TS 1	32	1-1/4"	10
1302-1022	TS 2	32	1-1/4"	10
1302-1023	TS 3	32	1-1/4"	10
1302-1024	TS 4	32	1-1/4"	10
1302-1025	TS 5	32	1-1/4"	10
1302-1026	TS 6	32	1-1/4"	10
1302-1027	TS 8	32	1-1/4"	10
1302-1028	TS 10	32	1-1/4"	10

TORQ-SET® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1302-1000TD	TS 0	50	2"	3.2	10
1302-1001TD	TS 1	50	2"	3.2	10
1302-1002TD	TS 2	50	2"	3.2	10
1302-1003TD	TS 3	50	2"	4.0	10
1302-1004TD	TS 4	50	2"	4.0	10
1302-1005TD	TS 5	50	2"	4.8	10
1302-1006TD	TS 6	50	2"	4.8	10
1302-1007TD	TS 8	50	2"	6.2	10
1302-1008TD	TS 10	50	2"	6.2	10
1307-1000TD	TS 0	75	3"	3.2	10
1307-1001TD	TS 1	75	3"	3.2	10
1307-1002TD	TS 2	75	3"	3.2	10
1307-1003TD	TS 3	75	3"	4.0	10
1307-1004TD	TS 4	75	3"	4.0	10
1307-1005TD	TS 5	75	3"	4.8	10
1307-1006TD	TS 6	75	3"	4.8	10
1307-1007TD	TS 8	75	3"	6.2	10
1307-1008TD	TS 10	75	3"	6.2	10

TORQ-SET® Power Bits, H7/16



• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1301-0549	TS 1/4"	35	1-3/8"	5
1301-0550	TS 5/16"	35	1-3/8"	5
1301-0551	TS 3/8"	35	1-3/8"	5
1301-0552	TS 7/16"	35	1-3/8"	5



TRI-WING® Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards and Gaging Standards.

The ultimate in fastener security. For applications where screws and bolts must be torque-tight and tamper resistant, there is no better choice than the TRI-WING® Tamper Resistant Drive System. The head strength and torque capability the TRI-WING provides outstanding resistance to vibration, and the unique recess design protects against removal with any other tool than a mating driver.

Features

- Straight wing walls
- Tri-slot shape
- Specific driver for each diameter fastener

Benefits

- Greater torque transfer
- Requires correct mating driver
- Tamper resistant
- Assures optimum torque for each size and strong head configuration
- Allows use of ribbed tools with standard screws
- Assures global system quality and compatibility

Application
Aerospace, Military

TRI-WING® is a registered trademark of Phillips Screw Company.

For more information on the TRI-WING® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

TRI-WING® Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1321-2500	TW 0	25	1"	25
1321-2501	TW 1	25	1"	25
1321-2502	TW 2	25	1"	25
1321-2503	TW 3	25	1"	25
1321-2504	TW 4	25	1"	25
1321-2505	TW 5	25	1"	25

TRI-WING® Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1321-1006	TW 6	32	1-1/4"	10
1321-1007	TW 7	32	1-1/4"	10
1321-1008	TW 8	32	1-1/4"	10

TRI-WING® Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1322-1020	TW 0	32	1-1/4"	10
1322-1021	TW 1	32	1-1/4"	10
1322-1022	TW 2	32	1-1/4"	10
1322-1023	TW 3	32	1-1/4"	10
1322-1024	TW 4	32	1-1/4"	10
1322-1025	TW 5	32	1-1/4"	10

TRI-WING® Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1322-1000TD	TW 0	50	2"	4.7	10

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1322-1001TD	TW 1	50	2"	4.7	10
1322-1002TD	TW 2	50	2"	4.7	10
1322-1003TD	TW 3	50	2"	4.7	10
1322-1004TD	TW 4	50	2"	6.2	10
1322-1005TD	TW 5	50	2"	6.2	10
1327-1000TD	TW 0	75	3"	4.7	10
1327-1001TD	TW 1	75	3"	4.7	10
1327-1002TD	TW 2	75	3"	4.7	10
1327-1003TD	TW 3	75	3"	4.7	10
1327-1004TD	TW 4	75	3"	6.2	10
1327-1005TD	TW 5	75	3"	6.2	10

TRI-WING® Power Bits, H7/16



• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1321-0546	TW 6	35	1-3/8"	5
1321-0547	TW 7	35	1-3/8"	5
1321-0548	TW 8	35	1-3/8"	5


Spanner Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1801-2501	#4	25	1"	25
1801-2502	#6	25	1"	25
1801-2503	#8	25	1"	25
1801-2504	#10	25	1"	25

Spanner Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1802-1001TD	#4	50	2"	3.2	10
1802-1002TD	#6	50	2"	4.5	10
1802-1003TD	#8	50	2"	5.4	10
1802-1004TD	#10	50	2"	6.2	10



MORTORQ® SUPER SPIRAL Drive Systems



Includes comprehensive engineering Head Standards, Driver Bit Standards, Cage Standards and Quality Standards.

Low-profile head with super high-strength recess offers elegance and functionality. The MORTORQ® SUPER Spiral Drive System is the most advanced industrial drive system available today. Featuring an exceptionally shallow recess, it sets the standard for strength and functionality. Its recess geometry provides full driver contact over the entire mating surface of the recess wings. This results in extreme high-torquing capability without risk of damage to the fastener or surrounding head area. Minimal head height reduces the weight of fastened components. Made with less material and light in weight, MORTORQ SUPER contributes to greener products.

Features

- Low-profile head
- Super high-strength recess
- Elegant appearance while offering a higher level of security
- Full driver contact of recess
- Optional recess ramps facilitate rotating driver bit engagement

Benefits

- Offer extreme high-torque capabilities
- Promotes lighter weight assemblies
- Reduces component material costs
- Eliminates clearance problems
- Aids disassembly for more effective maintenance and service
- Speeds assembly while maximizing torque control

Application

Automotive, Electronics, Industrial

MORTORQ® SUPER is a registered trademark of Phillips Screw Company.

For more information on the AGR PHILLIPS II® Drive System, please visit Phillips Screw Company website at www.phillips-screw.com.

MORTORQ® Super Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2500	MTS-0	25	1"	25
1881-2501	MTS-1	25	1"	25

MORTORQ® Super Insert Bits, H5/16



• DIN 3126, ISO 1173, C 8

Code	Size	L (mm)	L (inch)	Pack
1882-2501	MTS-1	32	1"	25
1882-2502	MTS-2	32	1"	25

MORTORQ® Super Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1882-1000	MTS-0	50	2"	10
1882-1001	MTS-1	50	2"	10

MORTORQ® Super Power Bits, H7/16



• DIN 3126, ISO 1173, E 11.2

Code	Size	L (mm)	L (inch)	Pack
1881-0542	MTS-2	35	1-3/8"	5
1881-0543	MTS-3	35	1-3/8"	5
1881-0544	MTS-4	35	1-3/8"	5

MORTORQ® Super Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2510	MTS-0TR	25	1"	25
1881-2511	MTS-1TR	25	1"	25
1881-2512	MTS-2TR	25	1"	25

MORTORQ® Super Tri-Tamper Resistant Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1881-2520	MTS-0TRI	25	1"	25
1881-2521	MTS-1TRI	25	1"	25

Clutch Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1821-2501	3/32"	25	1"	25
1821-2502	1/8"	25	1"	25
1821-2503	5/32"	25	1"	25
1821-2504	3/16"	25	1"	25
1821-2505	1/4"	25	1"	25

Clutch Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1822-1001TD	3/32"	50	2"	2.4	10
1822-1002TD	1/8"	50	2"	3.2	10
1822-1003TD	5/32"	50	2"	3.9	10
1822-1004TD	3/16"	50	2"	4.7	10
1822-1005	1/4"	50	2"	-	10

Frearson Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1861-2501	F1	25	1"	25
1861-2502	F2	25	1"	25

Frearson Power Bits, Turned Down Shank



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1862-1001TD	F1	50	2"	4.5	10
1862-1002TD	F2	50	2"	5.9	10

Triple Square Insert Bits



• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1841-2501	M4	25	1"	25
1841-2502	M5	25	1"	25
1841-2503	M6	25	1"	25

Triple Square Power Bits



• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1842-1001	M4	50	2"	10
1842-1002	M5	50	2"	10
1842-1003	M6	50	2"	10

Stainless Steel Magnetic Bit Holders with Screw Cap, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code	1/4"	L (mm)	L (inch)	Pack
1062-0507	1/4"	55.5	2-3/16	5
1063-0503	1/4"	73	2-7/8"	5

Stainless Steel Magnetic Bit Holder With C-ring



- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code	1/4"	L (mm)	L (inch)	Pack
1063-0509	1/4"	78	3-1/16"	5

Bit Holder With Ring Magnet



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code	1/4"	L (mm)	L (inch)	Pack
1062-0510	1/4"	60	2-3/8"	5

Magnetic Screw Guides



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)

Code	1/4"	L (mm)	L (inch)	Pack
1373-0501	1/4"	80	3-1/16"	5
1375-0501	1/4"	120	4-11/16"	5

Quick Change Bit Holders, Magnetic, One-Piece Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Double ball locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0501	1/4"	50	2"	5
1612-0503	1/4"	60	2-3/8"	5
1616-0505	1/4"	150	6"	5
1619-0505	1/4"	300	12"	5

Quick Change Bit Holders, Magnetic, Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0502	1/4"	50	2"	5
1612-0504	1/4"	60	2-3/8"	5
1616-0501	1/4"	150	6"	5
1619-0501	1/4"	300	12"	5

Quick Change Bit Holders, Magnetic, Stainless Steel



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0505	1/4"	60	2-3/8"	5

Quick Change Bit Holder, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0506	1/4"	60	2-3/8"	5

Quick Change Bit Holder, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0507	1/4"	60	2-3/8"	5

Quick Change Bit Holders, Magnetic, One-Piece Construction



- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Automatic bit releasing design
- Single Ball locking

Code	1/4"	L (mm)	L (inch)	Pack
1612-0508	1/4"	60	2-3/8"	5
1616-0503	1/4"	150	6"	5
1619-0503	1/4"	300	12"	5

Quick Change Bit Holder, Magnetic, Stainless Steel



- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Clip locking

Code	1/4"	L (mm)	L (inch)	Pack
1613-0501	1/4"	78	3"	5

Square Drive Bit Holders With C-Ring



- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)

Code	1/4"	5/16"	L (mm)	L (inch)	Pack
1401-0501	1/4"	1/4"	25	1"	5
1401-0502	3/8"	1/4"	31	1-1/4"	5
1401-0503	3/8"	5/16"	31	1-1/4"	5
1401-0504	1/2"	1/4"	35	1-3/8"	5
1401-0505	1/2"	5/16"	38	1-1/2"	5

Square Drive Bit Holders With Screw Cap



- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)

Code	1/4"	5/16"	L (mm)	L (inch)	Pack
1401-0506	1/4"	1/4"	25.5	1"	5
1401-0507	3/8"	1/4"	28.7	1-1/8"	5
1401-0508	3/8"	5/16"	35	1-3/8"	5
1401-0509	1/2"	1/4"	35	1-3/8"	5
1401-0510	1/2"	5/16"	35	1-3/8"	5

Phillips Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1111-0211DT	PH 1	25	1"	2
1111-0212DT	PH 2	25	1"	2
1111-0213DT	PH 3	25	1"	2


Phillips Power Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1112-0111TC	PH 1	50	2"	1
1112-0112TC	PH 2	50	2"	1
1112-0113TC	PH 3	50	2"	1

Pozidriv® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip




• Retail Package
• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0111DT	PZ 1	50	2"	1
1122-0112DT	PZ 2	50	2"	1
1122-0113DT	PZ 3	50	2"	1

Code	Size	L (mm)	L (inch)	Pack
1141-0225DT	Torx T25	25	1"	2
1141-0227DT	Torx T27	25	1"	2
1141-0230DT	Torx T30	25	1"	2
1141-0240DT	Torx T40	25	1"	2


TORX® Insert Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1141-0210TC	Torx T10	25	1"	2
1141-0215TC	Torx T15	25	1"	2
1141-0220TC	Torx T20	25	1"	2
1141-0225TC	Torx T25	25	1"	2
1141-0227TC	Torx T27	25	1"	2
1141-0230TC	Torx T30	25	1"	2
1141-0240TC	Torx T40	25	1"	2

Phillips Insert Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1111-0211TC	PH 1	25	1"	2
1111-0212TC	PH 2	25	1"	2
1111-0213TC	PH 3	25	1"	2

Pozidriv® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0211DT	PZ 1	25	1"	2
1121-0212DT	PZ 2	25	1"	2
1121-0213DT	PZ 3	25	1"	2


Pozidriv® Power Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1122-0111TC	PZ 1	50	2"	1
1122-0112TC	PZ 2	50	2"	1
1122-0113TC	PZ 3	50	2"	1

TORX® Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• Retail Package
• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	D (mm)	Pack
1142-0110DT	Torx T10	50	2"	4.0	1
1142-0115DT	Torx T15	50	2"	4.0	1
1142-0120DT	Torx T20	50	2"	4.8	1
1142-0125DT	Torx T25	50	2"	5.0	1
1142-0127DT	Torx T27	50	2"	6.0	1
1142-0130DT	Torx T30	50	2"	6.2	1
1142-0140DT	Torx T40	50	2"	-	1

Phillips Power Bits, Torsion, Titanium Coating, Diamond Coated Tip



• Retail Package
• DIN 3126, ISO 1173, E 6.3

Code	Size	L (mm)	L (inch)	Pack
1112-0111DT	PH 1	50	2"	1
1112-0112DT	PH 2	50	2"	1
1112-0113DT	PH 3	50	2"	1


Pozidriv® Insert Bits, Torsion, Titanium Coating



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1121-0211TC	PZ 1	25	1"	2
1121-0212TC	PZ 2	25	1"	2
1121-0213TC	PZ 3	25	1"	2


TORX® Insert Bits, Torsion, Titanium Coating, Diamond Coated Tip



• Retail Package
• DIN 3126, ISO 1173, C 6.3

Code	Size	L (mm)	L (inch)	Pack
1141-0210DT	Torx T10	25	1"	2
1141-0215DT	Torx T15	25	1"	2
1141-0220DT	Torx T20	25	1"	2

Phillips Drywall Screw Setters



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1201-0202	PH 2	25	1"	2

Phillips Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1112-0201	PH 1	50	2"	2
1112-0202	PH 2	50	2"	2
1112-0203	PH 3	50	2"	2
1112-0502	PH 2	50	2"	5
1112-0300	PH 1, PH 2, PH 3	50	2"	3
1117-0101	PH 1	75	3"	1
1117-0102	PH 2	75	3"	1
1117-0103	PH 3	75	3"	1
1113-0101	PH 1	89	3-1/2"	1
1113-0102	PH 2	89	3-1/2"	1
1113-0103	PH 3	89	3-1/2"	1
1114-0101	PH 1	100	4"	1
1114-0102	PH 2	100	4"	1
1114-0103	PH 3	100	4"	1
1116-0101	PH 1	150	6"	1
1116-0102	PH 2	150	6"	1
1116-0103	PH 3	150	6"	1

Phillips Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1112-0201TD	PH 1	50	2"	5.0	2
1112-0202TD	PH 2	50	2"	6.0	2
1112-0203TD	PH 3	50	2"	6.0	2
1117-0101TD	PH 1	75	3"	5.0	1
1117-0102TD	PH 2	75	3"	6.0	1
1117-0103TD	PH 3	75	3"	6.0	1
1113-0101TD	PH 1	89	3-1/2"	5.0	1
1113-0102TD	PH 2	89	3-1/2"	6.0	1
1113-0103TD	PH 3	89	3-1/2"	6.0	1
1114-0101TD	PH 1	100	4"	5.0	1
1114-0102TD	PH 2	100	4"	6.0	1
1114-0103TD	PH 3	100	4"	6.0	1
1116-0101TD	PH 1	150	6"	5.0	1
1116-0102TD	PH 2	150	6"	6.0	1
1116-0103TD	PH 3	150	6"	6.0	1

ACR Phillips II® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1931-0200	ACR 0	25	1"	2
1931-0201	ACR 1	25	1"	2
1931-0202	ACR 2	25	1"	2
1931-0203	ACR 3	25	1"	2

ACR Phillips II® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1932-0100	ACR 0	50	2"	1
1932-0101	ACR 1	50	2"	1
1932-0102	ACR 2	50	2"	1
1932-0103	ACR 3	50	2"	1

Phillips Square-Driv® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1911-0200	PSD 0-1	25	1"	2
1911-0201	PSD 1-2	25	1"	2
1911-0202	PSD 2-2	25	1"	2
1911-0203	PSD 3-3	25	1"	2

Phillips Square-Driv® Power Bits




- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1912-0100	PSD 0-1	50	2"	1
1912-0101	PSD 1-2	50	2"	1
1912-0102	PSD 2-2	50	2"	1
1912-0103	PSD 3-3	50	2"	1

Pozidriv® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1121-0200	PZ 0	25	1"	2
1121-0201	PZ 1	25	1"	2
1121-0202	PZ 2	25	1"	2
1121-0203	PZ 3	25	1"	2
1121-0502	PZ 2	25	1"	5
1121-1002	PZ 2	25	1"	10
1121-0800	PZ 1x2, PZ 2x4, PZ 3x2	25	1"	8

Pozidriv® Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1122-0201	PZ 1	50	2"	2
1122-0202	PZ 2	50	2"	2
1122-0203	PZ 3	50	2"	2
1122-0502	PZ 2	50	2"	5
1122-0700	PZ 1x2, PZ 2x3, PZ 3x2	50	2"	7
1127-0101	PZ 1	75	3"	1
1127-0102	PZ 2	75	3"	1
1127-0103	PZ 3	75	3"	1
1123-0101	PZ 1	89	3-1/2"	1
1123-0102	PZ 2	89	3-1/2"	1
1123-0103	PZ 3	89	3-1/2"	1
1126-0101	PZ 1	150	6"	1
1126-0102	PZ 2	150	6"	1
1126-0103	PZ 3	150	6"	1

Pozidriv® Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1122-0201TD	PZ 1	50	2"	5.0	2
1122-0202TD	PZ 2	50	2"	6.0	2
1122-0203TD	PZ 3	50	2"	6.0	2
1127-0101TD	PZ 1	75	3"	5.0	1
1127-0102TD	PZ 2	75	3"	6.0	1
1127-0103TD	PZ 3	75	3"	6.0	1
1123-0101TD	PZ 1	89	3-1/2"	5.0	1
1123-0102TD	PZ 2	89	3-1/2"	6.0	1
1123-0103TD	PZ 3	89	3-1/2"	6.0	1
1126-0101TD	PZ 1	150	6"	5.0	1
1126-0102TD	PZ 2	150	6"	6.0	1
1126-0103TD	PZ 3	150	6"	6.0	1

Square Power Bits



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1132-0201	SQ 1	50	2"	2
1132-0202	SQ 2	50	2"	2
1132-0203	SQ 3	50	2"	2
1132-0502	SQ 2	50	2"	5
1132-0700	SQ 1x2, SQ 2x3, SQ 3x2	50	2"	7
1137-0101	SQ 1	75	3"	1
1137-0102	SQ 2	75	3"	1
1137-0103	SQ 3	75	3"	1
1133-0101	SQ 1	89	3-1/2"	1
1133-0102	SQ 2	89	3-1/2"	1
1133-0103	SQ 3	89	3-1/2"	1
1136-0101	SQ 1	150	6"	1
1136-0102	SQ 2	150	6"	1
1136-0103	SQ 3	150	6"	1

TORX® Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1141-0205	Torx T5	25	1"	2
1141-0206	Torx T6	25	1"	2
1141-0207	Torx T7	25	1"	2
1141-0208	Torx T8	25	1"	2
1141-0210	Torx T10	25	1"	2
1141-0215	Torx T15	25	1"	2
1141-0220	Torx T20	25	1"	2
1141-0225	Torx T25	25	1"	2
1141-0227	Torx T27	25	1"	2
1141-0230	Torx T30	25	1"	2
1141-0240	Torx T40	25	1"	2
1141-0520	Torx T20	25	1"	5
1141-0525	Torx T25	25	1"	5
1141-0700	Torx T10, T15, T20, T25, T27, T30, T40	25	1"	7

TORX® Power Bits




- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	Pack
1142-0205	Torx T5	50	2"	2
1142-0206	Torx T6	50	2"	2
1142-0207	Torx T7	50	2"	2
1142-0208	Torx T8	50	2"	2
1142-0210	Torx T10	50	2"	2
1142-0215	Torx T15	50	2"	2
1142-0220	Torx T20	50	2"	2
1142-0225	Torx T25	50	2"	2
1142-0227	Torx T27	50	2"	2
1142-0230	Torx T30	50	2"	2
1142-0240	Torx T40	50	2"	2
1142-0520	Torx T20	50	2"	5
1142-0525	Torx T25	50	2"	5
1142-0600	Torx T15x2, T20x2, T25x2	50	2"	6
1147-0110	Torx T10	75	3"	1
1147-0115	Torx T15	75	3"	1
1147-0120	Torx T20	75	3"	1
1147-0125	Torx T25	75	3"	1
1147-0127	Torx T27	75	3"	1
1147-0130	Torx T30	75	3"	1
1147-0140	Torx T40	75	3"	1
1143-0110	Torx T10	89	3-1/2"	1
1143-0115	Torx T15	89	3-1/2"	1
1143-0120	Torx T20	89	3-1/2"	1
1143-0125	Torx T25	89	3-1/2"	1
1143-0127	Torx T27	89	3-1/2"	1
1143-0130	Torx T30	89	3-1/2"	1
1143-0140	Torx T40	89	3-1/2"	1
1146-0110	Torx T10	150	6"	1
1146-0115	Torx T15	150	6"	1
1146-0120	Torx T20	150	6"	1
1146-0125	Torx T25	150	6"	1
1146-0127	Torx T27	150	6"	1
1146-0130	Torx T30	150	6"	1
1146-0140	Torx T40	150	6"	1

Square Insert Bits



- Retail Package
- DIN 3126, ISO 1173, C 6.3



Code	Size	L (mm)	L (inch)	Pack
1131-0200	SQ 0	25	1"	2
1131-0201	SQ 1	25	1"	2
1131-0202	SQ 2	25	1"	2
1131-0203	SQ 3	25	1"	2
1131-0502	SQ 2	25	1"	5
1131-1002	SQ 2	25	1"	10
1131-0800	SQ 1x2, SQ 2x4, SQ 3x2	25	1"	8

Square Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1132-0201TD	SQ 1	50	2"	4.5	2
1132-0202TD	SQ 2	50	2"	6.0	2
1132-0203TD	SQ 3	50	2"	6.0	2
1137-0101TD	SQ 1	75	3"	4.5	1
1137-0102TD	SQ 2	75	3"	6.0	1
1137-0103TD	SQ 3	75	3"	6.0	1
1133-0101TD	SQ 1	89	3-1/2"	4.5	1
1133-0102TD	SQ 2	89	3-1/2"	6.0	1
1133-0103TD	SQ 3	89	3-1/2"	6.0	1
1136-0101TD	SQ 1	150	6"	4.5	1
1136-0102TD	SQ 2	150	6"	6.0	1
1136-0103TD	SQ 3	150	6"	6.0	1

TORX® Insert Bits, H5/16



- Retail Package
- DIN 3126, ISO 1173, C 8



Code	Size	L (mm)	L (inch)	Pack
1141-0145	Torx T45	32	1-1/4"	1
1141-0150	Torx T50	32	1-1/4"	1
1141-0155	Torx T55	32	1-1/4"	1
1141-0160	Torx T60	32	1-1/4"	1

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools

Premium Corrosion Resistant Tools

Professional Heavy-duty Working Tools

Slotted Power Bits, Turned Down Shank



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	L (mm)	L (inch)	D (mm)	Pack
1262-0233TD	0.5x3.0	50	2"	3.0	2
1262-0234TD	0.5x4.0	50	2"	4.0	2
1262-0236TD	0.6x4.5	50	2"	4.5	2
1262-0239TD	0.8x5.5	50	2"	5.5	2
1262-0241TD	1.0x6.0	50	2"	6.0	2
1267-0133TD	0.5x3.0	75	3"	3.0	1
1267-0134TD	0.5x4.0	75	3"	4.0	1
1267-0136TD	0.6x4.5	75	3"	4.5	1
1267-0139TD	0.8x5.5	75	3"	5.5	1
1267-0141TD	1.0x6.0	75	3"	6.0	1
1263-0133TD	0.5x3.0	89	3-1/2"	3.0	1
1263-0134TD	0.5x4.0	89	3-1/2"	4.0	1
1263-0136TD	0.6x4.5	89	3-1/2"	4.5	1
1263-0139TD	0.8x5.5	89	3-1/2"	5.5	1
1263-0141TD	1.0x6.0	89	3-1/2"	6.0	1
1266-0133TD	0.5x3.0	150	6"	3.0	1
1266-0134TD	0.5x4.0	150	6"	4.0	1
1266-0136TD	0.6x4.5	150	6"	4.5	1
1266-0139TD	0.8x5.5	150	6"	5.5	1
1266-0141TD	1.0x6.0	150	6"	6.0	1

Phillips Double-Ended Bits



- Retail Package
- 12.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0202PM	PH 2	65	2-9/16"	2
1563-0502PM	PH 2	65	2-9/16"	5
1563-1002PM	PH 2	65	2-9/16"	10
1564-0102PM	PH 2	100	4"	1
1566-0102PM	PH 2	150	6"	1

Phillips Double-Ended Bits



- Retail Package
- 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1562-1001PL	PH 1	50	2"	10
1562-1002PL	PH 2	50	2"	10
1562-1003PL	PH 3	50	2"	10
1563-1001PL	PH 1	65	2-9/16"	10
1563-0202PL	PH 2	65	2-9/16"	2
1563-0502PL	PH 2	65	2-9/16"	5
1563-1002PL	PH 2	65	2-9/16"	10
1563-1003PL	PH 3	65	2-9/16"	10
1563-1005PL	P2R	65	2-9/16"	10
1564-0102PL	PH 2	100	4"	1
1565-0102PL	PH 2	110	4"	1
1566-0102PL	PH 2	150	6"	1

Pozidriv® Double-Ended Bits



- Retail Package
- 12.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0222PM	PZ 2	65	2-9/16"	2
1563-0522PM	PZ 2	65	2-9/16"	5
1563-1022PM	PZ 2	65	2-9/16"	10
1564-0122PM	PZ 2	100	4"	1
1566-0122PM	PZ 2	150	6"	1

Pozidriv® Double-Ended Bits




- Retail Package
- 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1563-0222PL	PZ 2	65	2-9/16"	2
1563-0522PL	PZ 2	65	2-9/16"	5
1563-1022PL	PZ 2	65	2-9/16"	10
1564-0122PL	PZ 2	100	4"	1
1566-0122PL	PZ 2	150	6"	1

TORX® Double-Ended Bits



- Retail Package
- 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1573-0215PL	Torx T15	65	2-9/16"	2
1573-0220PL	Torx T20	65	2-9/16"	2
1573-0225PL	Torx T25	65	2-9/16"	2
1573-0227PL	Torx T27	65	2-9/16"	2
1573-0230PL	Torx T30	65	2-9/16"	2
1573-0240PL	Torx T40	65	2-9/16"	2
1573-0273PL	Torx T20/T25	65	2-9/16"	2
1573-0573PL	Torx T20/T25	65	2-9/16"	5

Double-Ended Bits




- Retail Package
- 17.5mm Power Groove



Code	Size	L (mm)	L (inch)	Pack
1553-0201PL	PH 2/PZ 2	65	2-9/16"	2
1553-0202PL	PH 2/SQ 2	65	2-9/16"	2
1553-0206PL	PH 2/SL8-10	65	2-9/16"	2
1553-0209PL	PH 2/SL1.0x6.0	65	2-9/16"	2
1553-0211PL	PH 2/Torx T25	65	2-9/16"	2
1553-0212PL	PZ 2/Torx T25	65	2-9/16"	2
1553-0213PL	SQ 2/Torx T25	65	2-9/16"	2

Magnetic Nutsetters



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	Size	Ø (mm)	L (mm)	L (inch)	Pack
1171-0114	1/4"		48	1-7/8"	1
1171-0156	5/16"		48	1-7/8"	1
1171-0138	3/8"		48	1-7/8"	1
1171-0176	7/16"		48	1-7/8"	1
1171-0112	1/2"		48	1-7/8"	1
1171-0302	1/4, 5/16, 3/8"		48	1-7/8"	3
1171-0402	1/4, 5/16, 3/8, 7/16"		48	1-7/8"	4
1172-0114	1/4"		65	2-9/16"	1
1172-0156	5/16"		65	2-9/16"	1
1172-0138	3/8"		65	2-9/16"	1
1172-0176	7/16"		65	2-9/16"	1
1172-0112	1/2"		65	2-9/16"	1
1174-0114	1/4"		100	4"	1
1174-0156	5/16"		100	4"	1
1174-0138	3/8"		100	4"	1
1176-0114	1/4"		150	6"	1
1176-0156	5/16"		150	6"	1
1176-0138	3/8"		150	6"	1

Code	⊙	⊙ (mm)	L (mm)	L (inch)	Pack
1171-0106		6	48	1-7/8"	1
1171-0108		8	48	1-7/8"	1
1171-0110		10	48	1-7/8"	1
1171-0122		12	48	1-7/8"	1
1171-0113		13	48	1-7/8"	1
1171-0301		6, 8, 10	48	1-7/8"	3
1172-0106		6	65	2-9/16"	1
1172-0108		8	65	2-9/16"	1
1172-0110		10	65	2-9/16"	1
1172-0122		12	65	2-9/16"	1
1172-0113		13	65	2-9/16"	1
1174-0106		6	100	4"	1
1174-0108		8	100	4"	1
1174-0110		10	100	4"	1
1176-0106		6	150	6"	1
1176-0108		8	150	6"	1
1176-0110		10	150	6"	1

Code	⊙	⊙ (mm)	L (mm)	L (inch)	Pack
1172-0106LB		6	65	2-9/16"	1
1172-0108LB		8	65	2-9/16"	1
1172-0110LB		10	65	2-9/16"	1
1172-0122LB		12	65	2-9/16"	1
1172-0113LB		13	65	2-9/16"	1
1174-0106LB		6	100	4"	1
1174-0108LB		8	100	4"	1
1174-0110LB		10	100	4"	1
1176-0106LB		6	150	6"	1
1176-0108LB		8	150	6"	1
1176-0110LB		10	150	6"	1

Socket Adapters (Ball Retention)



- Retail Package
- DIN 3126, ISO 1173, E 6.3



Code	⊙	L (mm)	L (inch)	Pack
1182-0114	1/4"	50	2"	1
1182-0138	3/8"	50	2"	1
1182-0112	1/2"	50	2"	1
1182-0301	1/4, 3/8, 1/2"	50	2"	3
1183-0114	1/4"	75	3"	1
1183-0138	3/8"	75	3"	1
1183-0112	1/2"	75	3"	1
1186-0114	1/4"	150	6"	1
1186-0138	3/8"	150	6"	1
1186-0112	1/2"	150	6"	1

Stainless Steel Magnetic Bit Holders with Retaining Spring, One-Piece Construction



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code	⊙	L (mm)	L (inch)	Pack
1162-0102	1/4"	57	2-1/4"	1
1163-0101	1/4"	76	3"	1
1166-0105	1/4"	150	6"	1
1169-0105	1/4"	300	12"	1

Stainless Steel Magnetic Bit Holders



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code	⊙	L (mm)	L (inch)	Pack
1163-0106	1/4"	76	3"	1
1164-0101	1/4"	100	4"	1
1166-0101	1/4"	150	6"	1

Magnetic Screw Guide



- Retail Package
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)



Code	⊙	L (mm)	L (inch)	Pack
1363-0101	1/4"	80	3-1/16"	1
1365-0101	1/4"	120	4-11/16"	1

Quick Change Bit Holder, Magnetic, One-Piece Stainless Steel



- Retail Package
- DIN 3126, ISO 1173, E 6.3
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Forward releasing sleeve
- Double ball locking



Code	⊙	L (mm)	L (inch)	Pack
1612-0103	1/4"	60	2-3/8"	1
1616-0105	1/4"	150	6"	1
1619-0105	1/4"	300	12"	1

Quick Change Bit Holder, Magnetic, One-Piece Construction



- Retail Package
- For use with 1/4" hexagon insert bits (DIN 3126, ISO 1173, C 6.3)
- Backward releasing sleeve
- Clip locking



Code	⊙	L (mm)	L (inch)	Pack
1612-0107	1/4"	60	2-3/8"	1

Square Drive Bit Holders With C-Ring



- Retail Package
- DIN 3121
- For use with 1/4" or 5/16" hexagon insert bits (DIN 3126, ISO 1173, C 6.3, C 8)



Code	⊙	⊙	L (mm)	L (inch)	Pack
1191-0101	1/4"	1/4"	25	1"	1
1191-0102	3/8"	1/4"	31	1-1/4"	1
1191-0103	3/8"	5/16"	31	1-1/4"	1
1191-0104	1/2"	1/4"	35	1-3/8"	1
1191-0105	1/2"	5/16"	38	1-1/2"	1

15PCS Insert Bits, Storage Box



Code	Size	L (mm)	L (inch)	Pack
1431-1502	PH 2	25	1"	15
1431-1504	PH 2 Drywall	25	1"	15
1431-1506	PZ 2	25	1"	15
1431-1509	SQ 2	25	1"	15
1431-1513	Torx T20	25	1"	15
1431-1514	Torx T25	25	1"	15

10PCS Screwdriver Bit Set, Pocket Case



Code	Contents	Pack
1410-1000	Insert bits (1")	9
	Quick change bit holder (2-3/8")	1

32PCS Color Coded Bit Set



Code	Contents	Pack
1410-3200	Color coded insert bits (1")	31
	Quick change bit holder (2-3/8")	1

27PCS Mini Ratcheting Wrench & Drive Accessory Set



Code	Contents	Pack
1410-2700	Color coded insert bits (1")	19
	Sockets (1")	5
	Socket adapter (1")	1
	Quick change bit holder (2-3/8")	1
	Mini ratcheting wrench	1

10PCS Power Bits, Storage Box



Code	Size	L (mm)	L (inch)	Pack
1432-1002	PH 2	50	2"	10
1432-1006	PZ 2	50	2"	10
1432-1009	SQ 2	50	2"	10
1432-1013	Torx T20	50	2"	10
1432-1014	Torx T25	50	2"	10

33PCS Screwdriver Bit Set



Code	Contents	Pack
1410-3300	Insert bits (1")	32
	Magnetic bit holder (2-3/8")	1

26PCS Color Coded Bit Set



Code	Contents	Pack
1410-2600	Color coded insert bits (1")	20
	Color coded power bits (2")	5
	Magnetic bit holder (2-3/8")	1

36PCS Color Coded Bit Set



Code	Contents	Pack
1410-3600	Color coded insert bits (1")	35
	Magnetic bit holder (2-3/8")	1

61PCS Screwdriver Bit Set



Code	Contents	Pack
1410-6100	Insert bits (1")	60
	Magnetic bit holder (2-3/8")	1

26PCS Drill&Drive Accessory Set



Code	Contents	Pack
1410-2600	Insert bits (1")	7
	Power bits (2")	8
	Magnetic socket (1-7/8")	3
	1/4, 5/16, 3/8"	
	Hexagon shank drill bits	6
	1/16, 3/32, 1/8, 5/32, 3/16, 1/4"	
	Magnetic screw guide (3-1/16")	1
	Quick change bit holder (2-3/8")	1

42PCS Driving Accessory Set



Code	Contents	Pack
1410-4200	Insert bits (1")	28
	Power bits (2")	13
	Magnetic bit holder (2-3/8")	1

75PCS Screwdriver Bit Set



Code	Contents	Pack
1410-7500	Insert bits (1")	24
	Power bits (2")	40
	Power bits (4")	6
	Power bits (6")	5

47PCS Driving Accessory Set, Double Window Case



Code	Contents	Pack
1410-4700	Insert bits (1")	35
	Double-end bits (2-9/16")	7
	Power bits (3-1/2")	2
	Magnetic socket (1-7/8")	2
	1/4, 5/16"	
	Magnetic screw guide (3-1/16")	1

33PCS Driving Accessory Set



Code	Contents	Pack
1410-3300	Insert bits (1")	21
	Power bits (2")	4
	Power bits (3-1/2")	4
	Magnetic socket (1-7/8")	3
	1/4, 5/16, 3/8"	
	Quick change bit holder (2-3/8")	1

30PCS Power SQ2 Bit Set



Code	Contents	Pack
1410-3000	Power bits (2")	12
	SQ2	
	Power bits (4")	12
	SQ2	
	Power bits (6")	6
	SQ2	

120PCS Screwdriver Bit Set



Code	Contents	Pack
1410-1200	Insert bits (1")	70
	Power bits (2")	20
	Power bits (3")	10
	Power bits (4")	10
	Power bits (5")	10

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

33PCS Torx® Screwdriver Bit Set



Code	Contents	Pack
1410-3300	Torx® Insert bits (1")	21
	Torx® Power bits (2")	5
	Torx® Power bits (4")	6
	Magnetic bit holder (2-3/8")	1

45PCS Driving Accessory Set



Code	Contents	Pack
1410-4500	Insert bits (1")	25
	Power bits (2")	5
	Non-magnetic nut setters	14
	Magnetic bit holder (2")	1

113PCS Drill & Drive Bit Set



Code	Contents	Pack
1410-11300	Insert bits (1")	74
	Power bits (2")	17
	Nut setters	7
	Screw guide (3-1/8")	1
	Magnetic bit holder (2-3/8")	1
	Black oxide drill bits	13

34PCS Driving Accessory Set



Code	Contents	Pack
1410-3400	Insert bits (1")	20
	Power bits (4")	6
	Non-magnetic nut setters	7
	Magnetic bit holder (2-3/8")	1

80PCS Driving Accessory Set




Code	Contents	Pack
1410-8000	Insert bits (1")	60
	Power bits (2")	13
	Non-magnetic nut setters	6
	Magnetic bit holder (2")	1

58PCS Screwdriver Bit Set



• Patent design, 360° opening case

Code	Contents	Pack
1410-5800	Insert bits (1")	44
	Power bits (2")	13
	Magnetic bit holder (2")	1





Phillips Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8001-1004	PH 00	40	2.0	20	10
8001-1000	PH 0	40	2.5	20	10
8001-1001	PH 1	40	3.0	20	10
8001-1002	PH 2	40	4.0	-	10
8003-1004	PH 00	60	2.0	25	10
8003-1000	PH 0	60	2.5	25	10
8003-1001	PH 1	60	3.0	25	10
8003-1002	PH 2	60	4.0	-	10

Phillips Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8013-1004	PH 00	60	2.0	25	10
8013-1000	PH 0	60	2.5	25	10
8013-1001	PH 1	60	3.0	25	10

Code	Size	L (mm)	D (mm)	↔	Pack
8013-1002	PH 2	60	4.5	25	10
8015-1000	PH 0	80	2.5	35	10
8015-1001	PH 1	80	3.0	35	10
8015-1002	PH 2	80	4.5	35	10
8016-1000	PH 0	100	2.5	50	10
8016-1001	PH 1	100	3.0	50	10
8016-1002	PH 2	100	4.5	50	10

Phillips Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8021-1004	PH 00	44	2.0	20	10
8021-1000	PH 0	44	2.5	20	10
8021-1001	PH 1	44	3.0	20	10
8021-1002	PH 2	44	4.0	-	10
8023-1004	PH 00	64	2.0	25	10
8023-1000	PH 0	64	2.5	25	10
8023-1001	PH 1	64	3.0	25	10
8023-1002	PH 2	64	4.0	-	10

Phillips Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8032-1004	PH 00	50	2.0	20	10
8032-1000	PH 0	50	2.5	20	10
8032-1001	PH 1	50	3.0	20	10
8032-1002	PH 2	50	-	-	10

Pozidriv® Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8092-1000	PZ 0	50	3.0	20	10
8092-1001	PZ 1	50	-	-	10

TORX® Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8181-1001	Torx T1	40	1.5	20	10
8181-1002	Torx T2	40	1.5	20	10
8181-1003	Torx T3	40	1.7	20	10
8181-1004	Torx T4	40	1.8	20	10
8181-1005	Torx T5	40	2.0	20	10
8181-1006	Torx T6	40	2.0	20	10
8181-1007	Torx T7	40	2.5	20	10
8181-1008	Torx T8	40	2.6	20	10
8181-1009	Torx T9	40	3.0	20	10
8181-1010	Torx T10	40	3.0	20	10
8183-1005	Torx T5	60	2.0	25	10
8183-1006	Torx T6	60	2.0	25	10
8183-1007	Torx T7	60	2.5	25	10
8183-1008	Torx T8	60	2.6	25	10
8183-1009	Torx T9	60	3.0	25	10
8183-1010	Torx T10	60	3.0	25	10

TORX® Electronic Driver Bits, 5mm Wing Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8193-1005	Torx T5	60	2.0	25	10
8193-1006	Torx T6	60	2.0	25	10
8193-1007	Torx T7	60	2.5	25	10
8193-1008	Torx T8	60	2.6	25	10
8193-1009	Torx T9	60	3.0	25	10
8193-1010	Torx T10	60	3.0	25	10
8193-1015	Torx T15	60	3.6	25	10

TORX® Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8201-1001	Torx T1	44	1.5	20	10
8201-1002	Torx T2	44	1.5	20	10
8201-1003	Torx T3	44	1.7	20	10
8201-1004	Torx T4	44	1.8	20	10
8201-1005	Torx T5	44	2.0	20	10
8201-1006	Torx T6	44	2.0	20	10
8201-1007	Torx T7	44	2.5	20	10
8201-1008	Torx T8	44	2.6	20	10
8201-1009	Torx T9	44	3.0	20	10
8201-1010	Torx T10	44	3.0	20	10
8203-1005	Torx T5	64	2.0	25	10
8203-1006	Torx T6	64	2.0	25	10
8203-1007	Torx T7	64	2.5	25	10
8203-1008	Torx T8	64	2.6	25	10
8203-1009	Torx T9	64	3.0	25	10
8203-1010	Torx T10	64	3.0	25	10


TORX® Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)	↔	Pack
8212-1003	Torx T3	50	1.7	20	10
8212-1004	Torx T4	50	1.8	20	10
8212-1005	Torx T5	50	2.0	20	10
8212-1006	Torx T6	50	2.0	20	10
8212-1007	Torx T7	50	2.5	20	10
8212-1008	Torx T8	50	2.6	20	10
8212-1009	Torx T9	50	3.0	20	10
8212-1010	Torx T10	50	3.0	20	10


Electronic Driver Bits

Hex Electronic Driver Bits, 5mm Wing Drive




Code	Size	L (mm)	D (mm)		Pack
8133-1030	1.5	60	2.0	25	10
8133-1031	2.0	60	3.0	25	10
8133-1032	2.5	60	3.0	25	10
8133-1033	3.0	60	4.0	25	10

Hex Electronic Driver Bits, 4mm Halfmoon Drive




Code	Size	L (mm)	D (mm)		Pack
8141-1030	1.5	44	2.0	20	10
8141-1031	2.0	44	3.0	20	10
8141-1032	2.5	44	3.0	20	10
8141-1033	3.0	44	4.0	-	10

Hex Electronic Driver Bits, 3mm Hexagon Drive




Code	Size	L (mm)	D (mm)		Pack
8152-1030	1.5	50	2.0	20	10
8152-1031	2.0	50	3.0	20	10
8152-1032	2.5	50	3.0	20	10
8152-1033	3.0	50	-	-	10

Slotted Electronic Driver Bits, 4mm Wing Drive



Code	Size	L (mm)	D (mm)		Pack
8361-1030	0.3x1.8	40	1.8	20	10
8361-1031	0.4x2.0	40	2.0	20	10
8361-1032	0.4x2.5	40	2.5	20	10
8361-1033	0.5x3.0	40	3.0	20	10
8361-1034	0.5x4.0	40	4.0	-	10
8361-1035	0.6x3.5	40	3.5	20	10
8361-1038	0.8x4.0	40	4.0	-	10

Slotted Electronic Driver Bits, 5mm Wing Drive




Code	Size	L (mm)	D (mm)		Pack
8373-1033	0.5x3.0	60	3.0	25	10
8373-1034	0.5x4.0	60	4.0	25	10
8373-1035	0.6x3.5	60	3.5	25	10
8373-1036	0.6x4.5	60	4.5	25	10
8373-1037	0.6x5.0	60	5.0	-	10
8373-1038	0.8x4.0	60	4.0	25	10

Slotted Electronic Driver Bits, 4mm Halfmoon Drive



Code	Size	L (mm)	D (mm)		Pack
8381-1030	0.3x1.8	44	1.8	20	10
8381-1031	0.4x2.0	44	2.0	20	10
8381-1032	0.4x2.5	44	2.5	20	10
8381-1033	0.5x3.0	44	3.0	20	10
8381-1034	0.5x4.0	44	4.0	-	10
8381-1035	0.6x3.5	44	3.5	20	10
8381-1038	0.8x4.0	44	4.0	-	10

Slotted Electronic Driver Bits, 3mm Hexagon Drive



Code	Size	L (mm)	D (mm)		Pack
8392-1030	0.3x1.8	50	1.8	20	10
8392-1031	0.4x2.0	50	2.0	20	10
8392-1032	0.4x2.5	50	2.5	20	10
8392-1033	0.5x3.0	50	3.0	20	10



NOTE

Premium+
Impact Performance Tools

Premium
Corrosion Resistant Tools

Professional
Heavy-duty Working Tools


Adjustable Tap Sockets



- Fits all 3/8" square drive wrenches
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	□	L (mm)	Pack
8701-0101	#0 - 1/4"	3.0 - 6.0	3/8"	49	1

Adjustable Tap Sockets



- Fits all 3/8" square drive wrenches
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	□	L (mm)	Pack
8701-0102	1/4" - 1/2"	6.0 - 12.0	3/8"	51	1

2PCS Adjustable Tap Socket Set



Code	Contents	Pack
8701-0201	#0 - 1/4", 1/4" - 1/2"	2

Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0101	#0 - 1/4"	3.0 - 6.0	86	1

Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0102	1/4" - 1/2"	6.0 - 12.0	111	1

Extended Ratcheting Tap Wrenches



- Adjustable T-handle
- Three ratcheting settings
- For use with taps, screw extractors and other square shank tools

Code	Size	Size (mm)	L (mm)	Pack
8702-0103	#0 - 1/4"	3.0 - 6.0	256	1
8702-0104	1/4" - 1/2"	6.0 - 12.0	317	1

15PCS Ratcheting Extendable Driver & Bit Set



- Ratcheting extendable bit holder provides faster driving in hard-to-reach places

Code	Contents	Pack
8480-1500	Insert bits (1")	12
	Power bit (2")	1
	Magnetic bit holder	1
	Ratcheting extendable bit driver	1

7PCS Nut Driver Set



- Hex shaped blades to drive with spanner for extra torque
- Color coded handles

Code	Contents	Pack
8481-0700	Nut drivers 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	7
8481-0701	Nut drivers 6, 7, 8, 9, 10, 11, 12mm	7

25PCS Precision Driver & Bit Set



Code	Contents	Pack
8480-2500	Precision bits (28mm H4)	24
	Precision bit driver	1

31PCS Precision Screwdriver Bits Set



Code	Contents	Pack
8480-3100	Precision bits (28mm H4)	30
	Magnetic precision bit driver	1

106PCS Household Tool Kit



Code	Contents	Pack
8480-10600	Precision bits (28mm H4)	24
	Magnetic precision bit driver	1
	Bits (25mm)	39
	Bits (50mm)	10
	1/4" & 3/8" Dr.Sockets (Metric)	18
	Socket adapter 1/4" (25mm)	1
	3/8" Dr.Extension adpater (75mm)	1
	Socket adapter 3/8"-1/4"	1
	LED flashlight	1
	Tape measure (3m)	1
	Wire plier (6")	1
	Longnose plier (6")	1
	Adjustable spanner (8")	1
	Ratchet wrench 3/8"	1
	Utility knife	1
	Claw hammer	1
	Screwdriver (100mm)	2
	Magnetic ratchet bit driver	1



Steel Blade



Hexagon bolster for extra torque when used with wrench

Laser Etched Steel Cap

Phillips Screwdriver



Code	Size	Φ(mm)	L(mm)	Pack
0967-0101	PH 1	5.0	75	1
0964-0102	PH 2	6.0	100	1
0965-0102	PH 2	6.0	125	1
0966-0103	PH 3	8.0	150	1
0968-0103	PH 3	8.0	200	1

Slotted Screwdriver



Code	Size	Φ(mm)	L(mm)	Pack
0967-0740	1.0X5.5	5.0	75	1
0964-0742	1.2X6.5	6.0	100	1
0965-0742	1.2X6.5	6.0	125	1
0966-0744	1.6X8.0	8.0	150	1
0968-0744	1.6X8.0	8.0	200	1

2PCS Go-Thru Screwdriver Set



Code	Contents	Pack
0960-0201	• Phillips screwdriver PH3x150mm	1
	• Slotted screwdriver SL8x150mm	1

2PCS Screwdriver Set



Code	Contents	Pack
0960-0202	• 6-in-1 Screwdriver PH1-SL5mm (6.35x65mm) PH2-SL6mm (8x75mm) Nut driver 6mm-8mm	1
	• Bottle Opener	1

Phillips Screwdriver



Code	Size	Φ(mm)	L(mm)	Pack
8807-0100	PH 0	3.0	75	1
8807-0101	PH 1	5.0	75	1
8801-0102	PH 2	6.0	38	1
8804-0102	PH 2	6.0	100	1
8805-0102	PH 2	6.0	125	1
8806-0103	PH 3	8.0	150	1

Square Screwdriver



Code	Size	Φ(mm)	L(mm)	Pack
8804-0300	SQ 0	5.0	100	1
8804-0301	SQ 1	5.0	100	1
8804-0302	SQ 2	6.0	100	1
8804-0303	SQ 3	6.0	100	1

TORX Screwdriver



Code	Size	Φ(mm)	L(mm)	Pack
8807-0408	Torx T8	3.0	75	1
8804-0410	Torx T10	5.0	100	1
8804-0415	Torx T15	5.0	100	1
8804-0420	Torx T20	5.0	100	1
8804-0425	Torx T25	6.0	100	1
8804-0427	Torx T27	6.0	100	1
8804-0430	Torx T30	6.0	100	1
8805-0440	Torx T40	8.0	125	1

Slotted Screwdriver



Code	Size(mm)	Φ(mm)	L(mm)	Pack
8807-0733	0.5X3.0	3.0	75	1
8801-0740	1.0X5.5	5.0	38	1
8807-0740	1.0X5.5	5.0	75	1
8804-0742	1.2X6.5	6.0	100	1
8805-0742	1.2X6.5	6.0	125	1
8806-0744	1.6X8.0	8.0	150	1

4PCS Screwdriver Set



Code	Contents	Pack
8800-0401	• Phillips screwdriver PH1x100mm, PH2x150mm	2
	• Slotted screwdriver SL5x100mm, SL6x150mm	2

6-IN-1 Screwdriver Set



Code	Contents	Pack
8800-0601	• Double ended bits PH1-SL5mm (6.35x75mm) PH2-SL7mm (8x75mm)	2
	• Nut Driver 6mm-8mm	1

6PCS Screwdriver Set



Code	Contents	Pack
8800-0602	• Phillips screwdriver PH1x100mm, PH2x150mm	2
	• Slotted screwdriver SL5x100mm, SL5x100mm(Straight cut), SL5x150mm(Straight cut), SL6x150mm	4

8PCS Screwdriver Set




Code	Contents	Pack
8800-0801	• Phillips screwdriver PH0x75mm, PH1x100mm, PH2x125mm, PH2x38mm	4
	• Slotted screwdriver SL5x100mm, SL6x38mm, SL6x125mm, SL8x150mm	4

8-IN-1 Screwdriver Set



Code	Contents	Pack
8800-0802	• Phillips screwdriver (60mm) PH0, PH1, PH2	3
	• Slotted Screwdriver (60mm) SL 3.0, SL 5.0, SL 6.0	3
	• Tack puller	1
	• Scratch awl	1



Hammer

Head of the hammer is embedded, Not easy to fall off

Double color glass fiber shock-proof design

Anti-slip Handle

Head is made of high carbon steel and strong impact resistance

Main features of fiberglass handle:

- Rebound function for the handle.
- Fiberglass is a synthetic material that is stronger than traditional timber.
- It is very light in weight and its resistance to moisture is a major characteristic.

Black Rubber Hammer



Code	Contents	Pack
8810-0107	225g(8OZ)	1
8810-0109	450g(16OZ)	1
8810-0111	680g(24OZ)	1

White Rubber Hammer



Code	Contents	Pack
8810-0101	225g(8OZ)	1
8810-0103	450g(16OZ)	1
8810-0105	680g(24OZ)	1

Machinist Hammer



Code	Contents	Pack
8810-0608	300g(10OZ)	1
8810-0610	500g(17OZ)	1
8810-0612	800g(28OZ)	1

Dead Blow Hammer



Code	Contents	Pack
8810-0502	1LB(16OZ)	1
8810-0504	2LB(32OZ)	1

Stoning Hammer



Code	Contents	Pack
8810-0297	1000g(35OZ)	1
8810-0299	1500g(53OZ)	1

Axe



Code	Contents	Pack
8810-0483	600g(21OZ)	1
8810-0484	800g(28OZ)	1
8810-0485	1000g(25OZ)	1

Claw Hammer



Code	Contents	Pack
8810-0316	230g(8OZ)	1
8810-0317	340g(12OZ)	1
8810-0318	450g(16OZ)	1



TORX® L-keys



Code	Size			D (mm)	Pack
8601-1010	Torx T10	51	17	3.0	10
8601-1015	Torx T15	54	18	3.4	10
8601-1020	Torx T20	57	19	4.0	10
8601-1025	Torx T25	61	20	5.0	10
8601-1027	Torx T27	64	21	5.0	10
8601-1030	Torx T30	70	24	6.0	10
8601-1040	Torx T40	76	26	7.0	10
8601-0545	Torx T45	83	29	8.0	5
8601-0550	Torx T50	95	32	9.0	5

TORX® Tamper Resistant L-keys, Long Arm



Code	Size			D (mm)	Pack
8612-1010	Torx T10	86	17	3.0	10
8612-1015	Torx T15	90	18	3.4	10
8612-1020	Torx T20	95	19	4.0	10
8612-1025	Torx T25	100	20	5.0	10
8612-1027	Torx T27	105	24	5.0	10
8612-1030	Torx T30	114	24	6.0	10
8612-1040	Torx T40	124	26	7.0	10
8612-0545	Torx T45	133	29	8.0	5
8612-0550	Torx T50	152	32	9.0	5

TORX PLUS® IPR L-keys



Code	Size			D (mm)	Pack
8631-1010	10 IPR	51	17	3.0	10
8631-1015	15 IPR	54	18	3.4	10
8631-1020	20 IPR	57	19	4.0	10
8631-1025	25 IPR	61	20	5.0	10
8631-1027	27 IPR	64	21	5.0	10
8631-1030	30 IPR	70	24	6.0	10
8631-1040	40 IPR	76	26	7.0	10
8631-0545	45 IPR	83	29	8.0	5
8631-0550	50 IPR	95	32	9.0	5

9PCS TORX® Tamper Resistant L-key Sets



Code	Contents	Pack
8615-0901	Torx T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, Standard length	9
8616-0901	Torx T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H, Long arm	9

TORX® L-keys, Long Arm



Code	Size			D (mm)	Pack
8602-1010	Torx T10	86	17	3.0	10
8602-1015	Torx T15	90	18	3.4	10
8602-1020	Torx T20	95	19	4.0	10
8602-1025	Torx T25	100	20	5.0	10
8602-1027	Torx T27	105	24	5.0	10
8602-1030	Torx T30	114	24	6.0	10
8602-1040	Torx T40	124	26	7.0	10
8602-0545	Torx T45	133	29	8.0	5
8602-0550	Torx T50	152	32	9.0	5

TORX PLUS® IP L-keys



Code	Size			D (mm)	Pack
8621-1010	10 IP	51	17	3.0	10
8621-1015	15 IP	54	18	3.4	10
8621-1020	20 IP	57	19	4.0	10
8621-1025	25 IP	61	20	5.0	10
8621-1027	27 IP	64	21	5.0	10
8621-1030	30 IP	70	24	6.0	10
8621-1040	40 IP	76	26	7.0	10
8621-0545	45 IP	83	29	8.0	5
8621-0550	50 IP	95	32	9.0	5

TORX PLUS® IPR L-keys, Long Arm



Code	Size			D (mm)	Pack
8632-1010	10 IPR	86	17	3.0	10
8632-1015	15 IPR	90	18	3.4	10
8632-1020	20 IPR	95	19	4.0	10
8632-1025	25 IPR	100	20	5.0	10
8632-1027	27 IPR	105	24	5.0	10
8632-1030	30 IPR	114	24	6.0	10
8632-1040	40 IPR	124	26	7.0	10
8632-0545	45 IPR	133	29	8.0	5
8632-0550	50 IPR	152	32	9.0	5

9PCS TORX PLUS® IP L-key Sets



Code	Contents	Pack
8625-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IP, Standard length	9
8626-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IP, Long arm	9

TORX® Tamper Resistant L-keys



Code	Size			D (mm)	Pack
8611-1010	Torx T10	51	17	3.0	10
8611-1015	Torx T15	54	18	3.4	10
8611-1020	Torx T20	57	19	4.0	10
8611-1025	Torx T25	61	20	5.0	10
8611-1027	Torx T27	64	21	5.0	10
8611-1030	Torx T30	70	24	6.0	10
8611-1040	Torx T40	76	26	7.0	10
8611-0545	Torx T45	83	29	8.0	5
8611-0550	Torx T50	95	32	9.0	5

TORX PLUS® IP L-keys, Long Arm



Code	Size			D (mm)	Pack
8622-1010	10 IP	86	17	3.0	10
8622-1015	15 IP	90	18	3.4	10
8622-1020	20 IP	95	19	4.0	10
8622-1025	25 IP	100	20	5.0	10
8622-1027	27 IP	105	24	5.0	10
8622-1030	30 IP	114	24	6.0	10
8622-1040	40 IP	124	26	7.0	10
8622-0545	45 IP	133	29	8.0	5
8622-0550	50 IP	152	32	9.0	5

9PCS TORX® L-key Sets



Code	Contents	Pack
8605-0901	Torx T10, T15, T20, T25, T27, T30, T40, T45, T50, Standard length	9
8606-0901	Torx T10, T15, T20, T25, T27, T30, T40, T45, T50, Long arm	9

9PCS TORX PLUS® IPR L-key Sets



Code	Contents	Pack
8635-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IPR, Standard length	9
8636-0901	10, 15, 20, 25, 27, 30, 40, 45, 50 IPR, Long arm	9

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

Premium+ Impact Performance Tools
Premium Corrosion Resistant Tools
Professional Heavy-duty Working Tools

Hex L-keys, Ball Head, Long Arm



Code	Size			Pack
8652-1030	1.5	64	16	10
8652-1031	2.0	77	18	10
8652-1032	2.5	88	21	10
8652-1033	3.0	93	23	10
8652-1034	4.0	104	29	10
8652-1035	5.0	120	33	10
8652-0536	6.0	141	38	5
8652-0538	8.0	158	44	5
8652-0539	10.0	180	50	5

Hex L-keys, Ball Head, Extra Long Arm




Code	Size			Pack
8653-1030	1.5	92	16	10
8653-1031	2.0	102	18	10
8653-1032	2.5	115	21	10
8653-1033	3.0	129	23	10
8653-1034	4.0	144	29	10
8653-1035	5.0	165	33	10
8653-0536	6.0	186	38	5
8653-0538	8.0	208	44	5
8653-0539	10.0	234	50	5

Hex L-key Sets, Ball Head



Code	Contents	Pack
8655-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Standard length	9
8656-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Long arm	9
8657-0901	Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Extra long arm	9



Counter Top Display

- Customers can easily take out products from the counter top display while in queue at check-out counter.
- Products are individually labelled and allows cashier to scan for check out with ease.



Code	Size
8901-0101CN	S
8901-0102CN	M



Internal product

2" (50mm) bit

1" (25mm) bit

② Contents

Clear lids cover each row to prevent dust and opens for easy access to products

2" (50mm) socket adaptor & nut setter

① Instruction

6" (150mm) bit in each corner

SURETORQ logo

3-1/2" (89mm) bit

2-9/16" (65mm) Nutsetter

③ Details

A turntable base, equipped with ball bearings, allows display case to spin smoothly

Transparent acrylic construction allows customers to easily see products

Each bin is clearly labelled with product size and price

• Patent Pending

v. 2018CO-2

PROGRESSIVE CHUNYIP [TIANJIN] CO.,LTD.

No.70, 6th Xin Ye Street
West Zone, TEDA, Tianjin
China, 300457

Tel: +86-22-59868836 58503130

Website: www.suretorqtj.com

E-mail: info@suretorqtj.com